

Order No.: 58FSDH1 | **GTIN (EAN):** 4058352431931

Product description: Mon11/21,D-ecoMa,HC1



Monsun® 11/21, DALIeco master kit, installation type: recessed, with cable with RJ-11 plug + 4x single conductor 0.75mm², AC, 50/60Hz, length: 250mm, width: 34mm, height: 29mm, DALIeco controller, master, sensor HC1, light sensor deactivated, certification: CE, permissible operating ambient temperature: -25..+35°C, packaging unit: 1 piece

CE

Wt. (kg): 0.2
GTIN (EAN): 4058352431931

Order No.: 58FSD1 | GTIN (EAN): 4058352431931

Detailed technical description: Mon11/21,D-ecoMa,HC1



Key data

- System family: DALIeco
- Product type: DALIeco master kit
- Product name: Monsun® 11/21
- Order No.: 58FSD1

Lighting technology | Lamps | Control gear

Component 1

Lamps:

- Supplement: for DALI version

Operating device:

- Control: DALIeco, light sensor deactivated

Certificates, Standards

- Temperature range (operation): -25..+35°C
- Certification, designation: CE

Mounting


- Mounting method, mounting location: recessed, in the luminaire housing
- Supplement: for housing width = 84mm

Electrical connection

- Connection: cable with RJ-11 plug + 4x single conductor 0.75mm²

Dimensions, Weight

- Length: 250mm
- Width: 34mm
- Height: 29mm
- Weight: 0.2kg



Sensor HC1

Mh	R	T
3m (default)	$\varnothing = 12\text{m}$	$\varnothing = 14\text{m}$
3m	$\varnothing = 4\text{...}24\text{m}$	$\varnothing = 4\text{...}30\text{m}$

Richtwert: Reichweite abhängig von örtlichen Gegebenheiten
 Guide value: range depending on local conditions