

**Order No.:** 51WC10MA32AS | **GTIN (EAN):** 4058352616918


**Product description:** ROU31lightsens,830,surf



Round 31, light sensor, installation type: surface-mounted, light colour: 830, colour temperature: 3000K, with terminal, 3-pole, max. 2.5mm<sup>2</sup>, mains connection: 220..240V, AC, 50/60Hz, traffic white (RAL 9016), brightness and presence sensor, HF sensor, insulation class (complete): insulation class II (safety insulation), certification: CE, permissible operating ambient temperature: -20..+40°C, permissible storage temperature: -20..+60°C, packaging unit: 1 piece



Wt. (kg): 1.9  
GTIN (EAN): 4058352616918



Order No.: 51WC10MA32AS | GTIN (EAN): 4058352616918

Detailed technical description: ROU31lightsens,830,surf



#### Key data

- Product type: light sensor
- Product name: Round 31
- Order No.: 51WC10MA32AS

#### Lighting technology | Lamps | Control gear

#### Component 1

#### Lamps:

- Colour temperature: 3000K
- Colour rendering index: CRI > 80
- Light colour: 830

#### Certificates, Standards

- Insulation class: insulation class II (safety insulation)
- Temperature range (operation): -20..+40°C
- Certification, designation: CE

#### Mounting

- Mounting method, mounting location: surface-mounted

#### Electrical connection

- Connection: terminal, 3-pole, max. 2.5mm<sup>2</sup>
- Nominal voltage: 220..240V, 50/60Hz, AC

#### Dimensions, Weight

- Weight: 1.9kg

Order No.: 51WC10MA32AS | GTIN (EAN): 4058352616918

Dimensions: ROU31lightsens,830,surf

