


Order No.: 5LZ930202 | **GTIN (EAN):** 4058352385968


Product description: SCon11,output.term,wired



SITECO Connect 11output terminal, central control - connection to lighting or building management, dimmable, installation type: recessed, installation location: in an electrical distributor, protection rating (complete): IP20, certification: CE, voltage: 24V, voltage type: DC, 1 x K-Bus, 8 x digital switching contact, packaging unit: 1 piece

IP 20 

Wt. (kg): 0.1
GTIN (EAN): 4058352385968




It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 24.05.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5LZ930202 | **GTIN (EAN):** 4058352385968

Detailed technical description: SCon11,output.term,wired



Key data

- System family: Siteco Connect 11
- Product type: control unit
- Product name: SITECO Connect 11
- Order No.: 5LZ930202

Certificates, Standards

- Protection rating: IP20
- Temperature range (operation):
0...+55°C
- Certification, designation: CE

Material, Colour

- Colour specification: grey

Mounting

- Mounting method, mounting location:
recessed, in an electrical distributor
- Supplement: only suitable for use in
indoor areas

Electrical connection

- Nominal voltage: 24V, DC

Dimensions, Weight

- Length: 100mm
- Width: 12mm
- Height: 68mm
- Weight: 0.1kg

Inputs

1x K-Bus

- Option: system current 20mA


Outputs

8x digital switching contact

- Feature: load type ohmic, inductive,
lamp load; output current 0.5A, for
switching of electrical consumers

Order No.: 5LZ930202 | **GTIN (EAN):** 4058352385968

Dimensions: SCon11,output.term,wired



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 24.05.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -