# siteco

Order No.: 59TL6CNE | **GTIN (EAN):** 4058352340141
**Product description:** Lic-cent.feed-I/I,L650,14x2.5²,IP40,sr

Licross® central feed for 2x feed-in, metallic grey (RAL 9006); wiring trunking rail element of sheet steel, galvanised, coated, with cable entry for six cables, Ø 8.5..13mm; 2x end cap of PC, metallic grey (RAL 9006), with cable entry for one cable, Ø ≤13mm (from above) or one cable, Ø ≤20mm (on face end); blank cover of PC/ABS, metallic grey (RAL 9006); 2x connector of steel, galvanised, connector pre-assembled on trunking rail; connection via terminal, 14-pole, 1.5..2.5mm², wired ready for connection, internal wiring halogen-free; dimension: (LxWxH) = 650 x 64 x 67mm; for IP20/IP40 protection rating; insulation class: insulation class I (protective earthing); certification: CE, UKCA; packaging unit: 1 piece

⏚ CE

Wt. (kg):	2.0
GTIN (EAN):	4058352340141

siteco

Order No.: 59TL6CNE | **GTIN (EAN):** 4058352340141
Detailed technical description: Lic-cent.feed-I/I,L650,14x2.5²,IP40,sr

Key data
— Product type: additional feed
— Product name: Licross®
— Order No.: 59TL6CNE

Lighting technology | Lamps | Control gear

Component 1

Lamps:
— Supplement: for connection on rail side

Component 2

Certificates, Standards
— Protection rating: for IP20/IP40 protection rating
— Insulation class: insulation class I (protective earthing)
— Certification, designation: CE, UKCA

Material, Colour
— trunking rail element: sheet steel, galvanised, coated, metallic grey (RAL 9006)
— Colour specification: metallic grey (RAL 9006)
— end cap: PC, metallic grey (RAL 9006)
— Quantity: 2 piece
— Colour specification: metallic grey (RAL 9006)
— blank cover: PC/ABS, metallic grey (RAL 9006)
— Colour specification: metallic grey (RAL 9006)
— connector: steel, galvanised, connector pre-assembled on trunking rail
— Quantity: 2 piece

Electrical connection
— Connection: terminal, 14-pole, 1.5..2.5mm²
— Through-wiring: 14x 2.5mm²

Dimensions, Weight
— Length: 650mm
— Width: 64mm
— Height: 67mm
— Weight: 2.0kg