


**Order No.:** 59DL20000200F00D0 | **GTIN (EAN):** 4058352152133

**Product description:** Lun11mnSf,surf-mount-hous,<21W,wh

Lunis 11 mini surface, surface-mounted housing, surface-mounted housing, of aluminium, pure white (RAL 9010), diameter: 229 mm, height: 216mm, packaging unit: 1 piece

Wt. (kg): 0.9  
GTIN (EAN): 4058352152133



**Order No.:** 59DL20000200F00D0 | **GTIN (EAN):** 4058352152133

**Detailed technical description:** Lun11mnSf,surf-mount-hous,<21W,wh

#### Key data

- Product type: surface-mounted housing
- Product name: Lunis 11 mini surface
- Order No.: 59DL20000200F00D0

#### Lighting technology | Lamps | Control gear

#### Component 1

#### Lamps:

- Supplement: for downlight with less than 21W

#### Material, Colour


- surface-mounted housing: aluminium, pure white (RAL 9010)
- Colour specification: pure white (RAL 9010)

#### Dimensions, Weight


- Diameter: 229mm
- Height: 216mm
- Weight: 0.9kg

Order No.: 59DL20000200F00D0 | GTIN (EAN): 4058352152133

Dimensions: Lun11mnSf,surf-mount-hous,<21W,wh



ø186



ø229

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.de](http://www.siteco.de))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 24.02.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -