

Order No.: 5LZ930302 | GTIN (EAN): 4058352386026

Product description: SCon11switch,rec




SITECO Connect 11, switch, installation type: recessed, with terminal, 3-pole, max. 1.5mm², mains connection: 24V, DC, housing, silver, length: 39mm, width: 73mm, height: 100mm, Switch, central control - connection to lighting or building management, protection rating (complete): IP20, insulation class (complete): insulation class I (protective earthing), certification: CE, permissible operating ambient temperature: 0..+55°C, packaging unit: 1 piece

IP 20 ⊕ (∈

Wt. (kg): 0.3

GTIN (EAN): 4058352386026





Order No.: 5LZ930302 | GTIN (EAN): 4058352386026

Detailed technical description: SCon11switch,rec



Key data

System family: Siteco Connect 11

- Product type: switch

- Product name: SITECO Connect 11

- Order No.: 5LZ930302

Certificates, Standards

- Protection rating: IP20

 Insulation class: insulation class I (protective earthing)

 Temperature range (operation): 0..+55°C

- Certification, designation: CE

Material, Colour

- Colour specification: silver

Mounting

 Mounting method, mounting location: recessed, in an electrical distributor

Electrical connection

- Connection: terminal, 3-pole, max.

 $1.5 mm^2$

- Nominal voltage: 24V, DC

Dimensions, Weight

Length: 39mmWidth: 73mmHeight: 100mmWeight: 0.3kg

Outputs

5x Ethernet

Connection: socket RJ-45

 Feature: 10BASE-T/100BASE-TX ethernet



Order No.: 5LZ930302 | GTIN (EAN): 4058352386026

Dimensions: SCon11switch,rec

