

Order No.: 5LS74901EW | **GTIN (EAN):** 4050737846811


Product description: Mon21G1,encl,PMMA,opal,LED,1pc



Monsun 21 Gen.1, cover, primary optical cover: enclosure, of PMMA, opal, installation type: surface-mounted, LED, length: 1.571mm, width: 84mm, impact resistance: IK03, packaging unit: 1 piece

IK 03

Lamps: LED
Wt. (kg): 0.7
GTIN (EAN): 4050737846811



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)
Tolerances related to thermal, electrical and photometric data according to IEC 62722
Issued 30.10.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5LS74901EW | **GTIN (EAN):** 4050737846811

Detailed technical description: Mon21G1,encl,PMMA,opal,LED,1pc



Key data

- Product type: cover
- Product name: Monsun 21 Gen.1
- Order No.: 5LS74901EW

Lighting technology | Lamps | Control gear

Component 1

Lighting technology:

- Cover: enclosure, opal

Lamps:

- Lamps: for LED

Certificates, Standards

- Impact resistance: IK03

Material, Colour

- Cover: enclosure of PMMA

Mounting

- Mounting method, mounting location:
surface-mounted, to the luminaire


Dimensions, Weight

- Length: 1571mm
- Width: 84mm
- Weight: 0.7kg

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)
Tolerances related to thermal, electrical and photometric data according to IEC 62722
Issued 30.10.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5LS74901EW | **GTIN (EAN):** 4050737846811

Dimensions: Mon21G1,encl,PMMA,opal,LED,1pc



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)
Tolerances related to thermal, electrical and photometric data according to IEC 62722
Issued 30.10.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -