

Order No.: 58FS002 | **GTIN (EAN):** 4058352474976


Product description: Licr,mount.rail,2lg,L3180,wh



Licross mounting rail, mounting rail, of sheet steel, galvanised, coil coated, white, 2-length, length: 3.180 mm, width: 64 mm, height: 67mm, certification: CE, packaging unit: 1 piece

CE

Wt. (kg): 3.5
GTIN (EAN): 4058352474976



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 14.02.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -

Siteco GmbH • Georg-Simon-Ohm-Str. 50 • 83301 Traunreut, Germany • Tel +49(8669)33-0 • Fax +49(8669)33-397 • eMail info@siteco.de • Internet www.siteco.com

Order No.: 58FS002 | **GTIN (EAN):** 4058352474976

Detailed technical description: Licr,mount.rail,2lg,L3180,wh



Key data

- Product type: mounting rail
- Product name: Licross mounting rail
- Order No.: 58FS002

Lighting technology | Lamps | Control gear

Component 1

Lamps:

- Supplement: without through-wiring

Certificates, Standards

- Certification, designation: CE

Material, Colour

- mounting rail: sheet steel, galvanised, coil coated, white, 2-length

Mounting


- Mounting method, mounting location: suspended mounting, surface-mounted, to the ceiling
- Arrangement: single/continuous arrangement

Dimensions, Weight

- Length: 3180mm
- Width: 64mm
- Height: 67mm
- Weight: 3.5kg

Order No.: 58FS002 | **GTIN (EAN):** 4058352474976

Dimensions: Licr,mount.rail,2lg,L3180,wh



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 14.02.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -