

Order No.: 59TR3CL | GTIN (EAN): 4058352487068 Product description: Lic-L-conn,L197,IP40,bk(w/o.wiring)



Licross[®], L-connector, trunking rail element, of steel, galvanised, coated, matt jet black (RAL 9005), length: 197mm, width: 197mm, height: 67mm, blank cover, of PC/ABS, jet black (RAL 9005), connector, of steel, galvanised, protection rating (complete): for IP20/IP40 protection rating, certification: CE, UKCA, packaging unit: 1 piece

Œ

Wt. (kg): 1.5 GTIN (EAN): 4058

1.5 4058352487068

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

ѕітесо

Order No.: 59TR3CL | GTIN (EAN): 4058352487068 Detailed technical description: Lic-L-conn,L197,IP40,bk(w/o.wiring)



Key data

- Product type: L-connector
- Product name: Licross®
- Order No.: 59TR3CL

Certificates, Standards

- Protection rating: for IP20/IP40 protection rating
- Certification, designation: CE, UKCA

Material, Colour

- trunking rail element: steel, galvanised, coated, matt jet black (RAL 9005)
- Colour specification: matt jet black (RAL 9005)
- blank cover: PC/ABS, jet black (RAL 9005)
- Colour specification: jet black (RAL 9005)
- connector: steel, galvanised, connector pre-assembled on trunking rail
- Quantity: 2 piece

Mounting

 Supplement: with safety hook (with height adjustment), Ø 6mm, for suspension at central node

Dimensions, Weight

- Length: 197mm
- Width: 197mm
- Height: 67mm
- Weight: 1.5kg

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -