


Order No.: 5XA769SCST | **GTIN (EAN):** 4058352556320


Product description: SConSp,psh.btn.interf,locCtrl,pushb.inp



SITECO Connect Sportpush button interface, local control - self-sufficient standalone sensors, configuration via Casambi app, installation type: lay-in mounting, recessed, installation location: in housing, of plastic, protection rating (complete): IP66, insulation class (complete): insulation class II (safety insulation), certification: CE, voltage: 230V, voltage type: AC, cable length: 0,1 m, 4 x push button input, Bluetooth®, packaging unit: 1 piece

IP 66  

Wt. (kg): 0.1
GTIN (EAN): 4058352556320



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5XA769SCST | **GTIN (EAN):** 4058352556320

Detailed technical description: SConSp,psh.btn.interf,locCtrl,pushb.inp



Key data

- Product type: lighting management components
- Product name: SITECO Connect Sport
- Order No.: 5XA769SCST

Lighting technology | Lamps | Control gear

Component 1

Lamps:

- Rated input power: 2W

Operating device:

- Control: Casambi, configuration via Casambi app

Certificates, Standards

- Protection rating: IP66
- Insulation class: insulation class II (safety insulation)
- Certification, designation: CE

Material, Colour

- housing: plastic, black
- Colour specification: black

Mounting

- Mounting method, mounting location: recessed, lay-in mounting, in housing

Electrical connection

- Connection: cable, 2x 1.0mm²
- Nominal voltage: 230V, 50/60Hz, AC

Dimensions, Weight

- Weight: 0.1kg

Inputs

4x push button input

- Range: max. 100m in open field
- Option: controllable via smartphone


Outputs

Bluetooth®

- Range: max. 100m in open field

Order No.: 5XA769SCST | **GTIN (EAN):** 4058352556320

Dimensions: SConSp,psh.bttm.interf,locCtrl,pushb.inp



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -