

Order No.: 5LZ980301A | GTIN (EAN): 4069025765659


Product description: SConWi,controller,wirel



SITECO Connect Wirelesscontroller, control unit, master, local control - self-sufficient standalone sensors, dimmable, installation type: recessed, installation location: in the ceiling, of plastic, voltage: 230V, 1 x push button input, 1 x DALI, 1 x Bluetooth interface, protection rating (complete): IP20, insulation class (complete): insulation class I (protective earthing), certification: CE, packaging unit: 1 piece

IP 20  

Wt. (kg): 0.1  
GTIN (EAN): 4069025765659



Order No.: 5LZ980301A | GTIN (EAN): 4069025765659

Detailed technical description: SConWi,controller,wirel

#### Key data

- System family: SITECO Connect Wireless
- Product type: control unit
- Product name: SITECO Connect Wireless
- Order No.: 5LZ980301A

#### Lighting technology | Lamps | Control gear

##### Component 1

#### Operating device:

- Control: Casambi, dimmable

#### Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class I (protective earthing)
- Temperature range (operation): -20..+70°C
- Certification, designation: CE

#### Material, Colour

- housing: plastic, white
- housing: plastic, white

#### Mounting

- Mounting method, mounting location: recessed, in the ceiling
- Supplement: only suitable for use in indoor areas

#### Electrical connection

- Nominal voltage: 230V, 50/60Hz

#### Dimensions, Weight

- Length: 208mm
- Width: 79mm
- Height: 30mm
- Weight: 0.1kg

#### Outputs

##### 1x DALI


- System current: max. 50mA
- Feature: DALI, master function, broadcast addressing, max. 25 DALI ECGs

##### 1x Bluetooth interface

- Feature: wireless networking

Order No.: 5LZ980301A | GTIN (EAN): 4069025765659

Dimensions: SConWi,controller,wirel



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.de](http://www.siteco.de))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 22.05.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -