


Licross®

Leitungssatz T- Verbinder
cable set T connector


59TL3T07
59TL3T0E




siteco

59TL3T07


[mm]




59TL3T0E




- 1** Umgebungstemperatur während der Installation: +5°C...+40°C
Ambient temperature during installation:



2



3




7x

| | | | | | | |
|----|--|---|----|----|----|----|
| PE | | | | L3 | L2 | L1 |
| | | N | 11 | | 9 | |

14x

| | | | | | | |
|----|----|---|----|----|----|----|
| PE | 6 | 5 | 4 | L3 | L2 | L1 |
| 14 | 13 | N | 11 | 10 | 9 | 8 |

4



7x

| | | | | | | |
|----|----|----|----|---|--|----|
| L1 | L2 | L3 | | | | PE |
| | 9 | | 11 | N | | |

14x

| | | | | | | |
|----|----|----|----|---|----|----|
| L1 | L2 | L3 | 4 | 5 | 6 | PE |
| 8 | 9 | 10 | 11 | N | 13 | 14 |



5MA11-258741_ab
21.04.2021 / PZ

Siteco GmbH
Georg-Simon-Ohm-Straße 50
83301 Traunreut, Germany
mail: technicalsupport@siteco.de
Phone: +49 8669 / 33-844
www.siteco.com