


Order No.: 5EA3BH01 | GTIN (EAN): 4058352578582 Product description: SConWi,L115,IP65,bri-gy



SITECO Connect Wireless, junction box, installation type: surface-mounted, mains connection: 230V, AC, 50/60Hz, surface-mounted housing, of plastic, bright grey, length: 115mm, width: 80mm, height: 140mm, Smart Plug Box, protection rating (complete): IP65, certification: CE, permissible operating ambient temperature for outdoor applications: -15..+45°C, standard: according to Zhaga book 18, packaging unit: 1 piece

IP 65 (E

Wt. (kg): 0.4 GTIN (EAN): 4058352578582



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

ѕітесо

Order No.: 5EA3BH01 | GTIN (EAN): 4058352578582 Detailed technical description: SConWi,L115,IP65,bri-gy



Key data

- System family: SITECO Connect 31 Wireless
- Product type: junction box
- Product name: SITECO Connect Wireless
- Order No.: 5EA3BH01

Certificates, Standards

- Protection rating: IP65
- Temperature range (operation): -15..+45°C
- Standard: according to Zhaga book 18
- Certification, designation: CE

Material, Colour

- surface-mounted housing: plastic, bright grey
- Colour specification: bright grey

Mounting

 Mounting method, mounting location: surface-mounted, to mast, to the wall, in an electrical distributor

Electrical connection


- Nominal voltage: 230V, 50/60Hz, AC

Dimensions, Weight

- Length: 115mm
- Width: 80mm
- Height: 140mm
- Weight: 0.4kg



Order No.: 5EA3BH01 | GTIN (EAN): 4058352578582 Dimensions: SConWi,L115,IP65,bri-gy



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -