

Order No.: 5EA40EHC01 | GTIN (EAN): 4058352641323

Product description: SConWi,SmartPlugCelMotHigh




SITECO Connect Wireless, Smart Plug Cellular Motion High, cellular, Smart Interface below, installation location: to the luminaire, of plastic, protection rating (complete): IP66, certification: CE, UKCA, voltage: 24V, voltage type: DC, PIR movement sensor, brightness sensor, radio, 2.4GHz, packaging unit: 1 piece

IP 66 CE

Wt. (kg): 0.1  
GTIN (EAN): 4058352641323

Order No.: 5EA40EHC01 | GTIN (EAN): 4058352641323

Detailed technical description: SConWi,SmartPlugCelMotHigh



#### Key data

- Product type: sensor
- Product name: SITECO Connect Wireless
- Order No.: 5EA40EHC01

#### Lighting technology | Lamps | Control gear

#### Component 1

#### Operating device:

- Control: D4i

#### Certificates, Standards

- Protection rating: IP66
- Temperature range (operation): -40..+85°C
- Standard: according to Zhaga book 18
- Certification, designation: CE, UKCA

#### Material, Colour

- housing: plastic, dark grey
- Colour specification: dark grey

#### Mounting

- Mounting height: 6..12m

#### Electrical connection

- Nominal voltage: 24V, DC

#### Dimensions, Weight

- Weight: 0.1kg

#### Inputs

#### PIR movement sensor

- Detection range: D max. 18m

Y axis



**Order No.:** 5EA40EHCC

**Dimensions:** SConWi, Sma

<b>Mounting height</b>	<b>X axis</b>	<b>Y axis</b>
7.0 m	11.9 m	12.4 m
8.0 m	13.6 m	14.2 m
9.0 m	15.3 m	15.9 m
10.0 m	17.0 m	17.7 m

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 04.08.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -