


Order No.: 5EA40ELC01 | GTIN (EAN): 4058352641347

Product description: SConWi,SmartPlugCelMotLow




SITECO Connect Wireless, Smart Plug Cellular Motion Low, cellular, Smart Interface below, installation location: to the luminaire, of plastic, protection rating (complete): IP66, certification: CE, UKCA, voltage: 24V, voltage type: DC, PIR movement sensor, brightness sensor, radio, 2.4GHz, packaging unit: 1 piece

IP 66 CE

Wt. (kg): 0.1
GTIN (EAN): 4058352641347

Order No.: 5EA40ELC01 | GTIN (EAN): 4058352641347

Detailed technical description: SConWi,SmartPlugCelMotLow



Key data

- Product type: sensor
- Product name: SITECO Connect Wireless
- Order No.: 5EA40ELC01

Lighting technology | Lamps | Control gear

Component 1

Operating device:

- Control: D4i

Certificates, Standards

- Protection rating: IP66
- Temperature range (operation): -40..+85°C
- Standard: according to Zhaga book 18
- Certification, designation: CE, UKCA

Material, Colour

- housing: plastic, dark grey
- Colour specification: dark grey

Mounting

- Mounting height: 0.6m

Electrical connection

- Nominal voltage: 24V, DC

Dimensions, Weight

- Weight: 0.1kg

Inputs

PIR movement sensor

- Detection range: D max. 11m



Y axis

Order No.: 5EA40ELCG

Dimensions: SConWi, Sma

Mounting height	X axis	Y axis
5.0 m	8.5 m	8.8 m
6.0 m	10.2 m	10.6 m