

Order No.: 5LZ930302 | **GTIN (EAN):** 4058352386026


Product description: SCon11switch,rec



SITECO Connect 11, switch, installation type: recessed, with terminal, 3-pole, max. 1.5mm², mains connection: 24V, DC, housing, silver, length: 39mm, width: 73mm, height: 100mm, Switch, central control - connection to lighting or building management, protection rating (complete): IP20, insulation class (complete): insulation class I (protective earthing), certification: CE, permissible operating ambient temperature: 0..+55°C, packaging unit: 1 piece

IP 20  

Wt. (kg): 0.3
GTIN (EAN): 4058352386026



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5LZ930302 | **GTIN (EAN):** 4058352386026

Detailed technical description: SCon11switch,rec



Key data

- System family: Siteco Connect 11
- Product type: switch
- Product name: SITECO Connect 11
- Order No.: 5LZ930302

Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class I (protective earthing)
- Temperature range (operation): 0..+55°C
- Certification, designation: CE

Material, Colour

- Colour specification: silver

Mounting

- Mounting method, mounting location: recessed, in an electrical distributor

Electrical connection

- Connection: terminal, 3-pole, max. 1.5mm²
- Nominal voltage: 24V, DC

Dimensions, Weight

- Length: 39mm
- Width: 73mm
- Height: 100mm
- Weight: 0.3kg


Outputs

5x Ethernet

- Connection: socket RJ-45
- Feature: 10BASE-T/100BASE-TX ethernet

Order No.: 5LZ930302 | **GTIN (EAN):** 4058352386026

Dimensions: SCon11switch,rec



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -