

Order No.: 5LZ930302 | GTIN (EAN): 4058352386026


Product description: SCon11,Switch,centCtrl



SITECO Connect 11 Switch, central control, installation type: recessed, installation location: in an electrical distributor, protection rating (complete): IP20, insulation class (complete): insulation class I (protective earthing), certification: CE, voltage: 24V, voltage type: DC, 5 x Ethernet, packaging unit: 1 piece

IP 20  

Wt. (kg): 0.3
GTIN (EAN): 4058352386026



Order No.: 5LZ930302 | GTIN (EAN): 4058352386026

Detailed technical description: SCon11,Switch,centCtrl



Key data

- System family: Siteco Connect 11
- Product type: lighting management components
- Product name: SITECO Connect 11
- Order No.: 5LZ930302

Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class I (protective earthing)
- Temperature range (operation): 0..+55°C
- Certification, designation: CE

Material, Colour

- Colour specification: silver

Mounting

- Mounting method, mounting location: recessed, in an electrical distributor

Electrical connection

- Connection: terminal, 3-pole, max. 1.5mm²
- Nominal voltage: 24V, DC

Dimensions, Weight

- Length: 39mm
- Width: 73mm
- Height: 100mm
- Weight: 0.3kg


Outputs

5x Ethernet

- Connection: socket RJ-45
- Feature: 10BASE-T/100BASE-TX ethernet

Order No.: 5LZ930302 | GTIN (EAN): 4058352386026

Dimensions: SCon11,Switch,centCtrl



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 29.09.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -