


## Order No.: 5XA71000XF | GTIN (EAN): 4058352357774 Product description: Sirius,bracket,B379

Sirius<sup>®</sup>, mounting bracket, mounting bracket, of aluminium, powder-coated, Siteco<sup>®</sup> metallic grey (DB 702S), for 1 LED unit (1/2 luminaire head), width: 379mm, packaging unit: 1 piece

Wt. (kg): 4.7 GTIN (EAN): 4058352357774



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -



# Order No.: 5XA71000XF | GTIN (EAN): 4058352357774 Detailed technical description: Sirius,bracket,B379

### Key data

- Product type: mounting bracket
- Product name: Sirius<sup>®</sup>
- Order No.: 5XA71000XF

### Material, Colour

- mounting bracket: aluminium, powdercoated, Siteco<sup>®</sup> metallic grey (DB 702S), for 1 LED unit (1/2 luminaire head)
- Colour specification: Siteco<sup>®</sup> metallic grey (DB 702S)


#### **Dimensions, Weight**

- Width: 379mm
- Weight: 4.7kg

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -



Order No.: 5XA71000XF | GTIN (EAN): 4058352357774 Dimensions: Sirius,bracket,B379



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -