



Order No.: 5NY0430M108E8 | **GTIN (EAN):** 4039806806697

Product description: Luzern, mast arm, design arm, of steel, galvanised and coated, Siteco® metallic grey (DB 702S), 1-arm, spigot size: 76mm (post-top), bracket dimensions: 800mm, packaging unit: 1 piece



Luzern, mast arm, design arm, of steel, galvanised and coated, Siteco® metallic grey (DB 702S), 1-arm, spigot size: 76mm (post-top), bracket dimensions: 800mm, packaging unit: 1 piece

Wt. (kg): 15.0
GTIN (EAN): 4039806806697




It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5NY0430M108E8 | **GTIN (EAN):** 4039806806697

Detailed technical description: Luzern, mastarm Ø76, 1 arm, L800 Ø60, inclin 10°



Key data

- Product type: mast arm
- Product name: Luzern
- Order No.: 5NY0430M108E8

Material, Colour


- design arm: steel, galvanised and coated, Siteco® metallic grey (DB 702S)
- Colour specification: Siteco® metallic grey (DB 702S)

Dimensions, Weight

- Weight: 15.0kg
- Mast spigot: spigot size: 76mm

Order No.: 5NY0430M108E8 | **GTIN (EAN):** 4039806806697

Dimensions: Luzern, mastarm Ø76, 1 arm, L800 Ø60, inclin 10°



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -