


**Order No.:** 59DL20000300D00D0 | **GTIN (EAN):** 4058352152157

**Product description:** Lun11mcSf,surf-mount-hous,<21W,sr

Lunis 11 micro surface, surface-mounted housing, surface-mounted housing, of aluminium, metallic grey (RAL 9006), diameter: 170mm, height: 203mm, packaging unit: 1 piece

Wt. (kg):	0.7
GTIN (EAN):	4058352152157



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 24.02.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -

**Order No.:** 59DL20000300D00D0 | **GTIN (EAN):** 4058352152157

**Detailed technical description:** Lun11mcSf,surf-mount-hous,<21W,sr

#### Key data

- Product type: surface-mounted housing
- Product name: Lunis 11 micro surface
- Order No.: 59DL20000300D00D0

#### Lighting technology | Lamps | Control gear

#### Component 1

##### Lamps:

- Supplement: for downlight with less than 21W

##### Material, Colour


- surface-mounted housing: aluminium, metallic grey (RAL 9006)
- Colour specification: metallic grey (RAL 9006)

##### Dimensions, Weight


- Diameter: 170mm
- Height: 203mm
- Weight: 0.7kg

**Order No.:** 59DL20000300D00D0 | **GTIN (EAN):** 4058352152157

**Dimensions:** Lun11mcSf,surf-mount-hous,<21W,sr



ø136



203

ø170

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 24.02.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -