


**Order No.:** 5LS74902EW | **GTIN (EAN):** 4050737846859

**Product description:** Mon21G1,encl,PMMA,opal,LED,1pc

Monsun 21 Gen.1, cover, primary optical cover: enclosure, of PMMA, opal, installation type: surface-mounted, LED, length: 1.571mm, width: 130mm, impact resistance: IK03, packaging unit: 1 piece

IK 03

Lamps:	LED
Wt. (kg):	1.0
GTIN (EAN):	4050737846859



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))  
Tolerances related to thermal, electrical and photometric data according to IEC 62722  
Issued 30.10.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

**Order No.:** 5LS74902EW | **GTIN (EAN):** 4050737846859

**Detailed technical description:** Mon21G1,encl,PMMA,opal,LED,1pc

#### **Key data**

- Product type: cover
- Product name: Monsun 21 Gen.1
- Order No.: 5LS74902EW

#### **Lighting technology | Lamps | Control gear**

##### **Component 1**

###### **Lighting technology:**

- Cover: enclosure, opal

###### **Lamps:**

- Lamps: for LED

###### **Certificates, Standards**

- Impact resistance: IK03

###### **Material, Colour**

- Cover: enclosure of PMMA

###### **Mounting**

- Mounting method, mounting location: surface-mounted, to the luminaire

###### **Dimensions, Weight**

- Length: 1571mm
- Width: 130mm
- Weight: 1.0kg

**Order No.:** 5LS74902EW | **GTIN (EAN):** 4050737846859

**Dimensions:** Mon21G1,encl,PMMA,opal,LED,1pc



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))  
Tolerances related to thermal, electrical and photometric data according to IEC 62722  
Issued 30.10.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -