

Order No.: 5TR30600 | **GTIN (EAN):** 4039806582287


Product description: Modrail-ins



Modario®, rail insert, socket outlet, with plug, 3-pole, with phase selection, mains connection: 240V, AC, 50Hz, socket outlet insert, of sheet steel, coil coated, pure white, 1x system unit, length: 299mm, width: 48mm, protection rating (complete): for IP20 protection rating, insulation class (complete): insulation class I (protective earthing), certification: CE, packaging unit: 1 piece



Wt. (kg): 0.3
GTIN (EAN): 4039806582287



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Siteco GmbH • Georg-Simon-Ohm-Str. 50 • 83301 Traunreut, Germany • Tel +49(8669)33-0 • Fax +49(8669)33-397 • eMail info@siteco.de • Internet www.siteco.com

Order No.: 5TR30600 | **GTIN (EAN):** 4039806582287

Detailed technical description: Modrail-ins



Key data

- Product type: rail insert
- Product name: Modario®
- Order No.: 5TR30600

Lighting technology | Lamps | Control gear

Component 1

Lamps:

- Supplement: with Wieland plug system GST 18I3, incl. connection cable with safety coupling (D, A, Scan), 3x 1.5mm², cable length 0.3m, black, max. 2A

Certificates, Standards

- Protection rating: for IP20 protection rating
- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE

Material, Colour

- socket outlet insert: sheet steel, coil coated, pure white, 1x system unit
- Colour specification: pure white

Electrical connection


- Connection: plug, 3-pole, with phase selection
- Nominal voltage: 240V, 50Hz, AC

Dimensions, Weight

- System units: 1x SE
- Length: 299mm
- Width: 48mm
- Weight: 0.3kg

Order No.: 5TR30600 | GTIN (EAN): 4039806582287

Dimensions: Modrail-ins



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -