


Order No.: 59HC91002 | GTIN (EAN): 4058352463208

Product description: HB31L,refl,PC,dir,surf



Highbay 31 L, reflector, primary light control with reflector, of PC, transparent prismatic structure, light emission: direct with ceiling illumination distribution, primary light characteristic: rotationally symmetric, installation type: surface-mounted, diameter: 570mm, height: 234mm, packaging unit: 1 piece

Wt. (kg): 1.7  
GTIN (EAN): 4058352463208



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 59HC91002 | GTIN (EAN): 4058352463208

Detailed technical description: HB31L,refl,PC,dir,surf



#### Key data

- Product type: reflector
- Product name: Highbay 31 L
- Order No.: 59HC91002

#### Lighting technology | Lamps | Control gear

##### Component 1

#### Lighting technology:

- Light control: reflector of PC, transparent prismatic structure
- Beam angle: narrow to wide distribution
- Symmetry: rotationally symmetric
- Light emission: direct with ceiling illumination
- UGR viewing direction along longitudinal luminaire axis:  $\leq 19$
- UGR viewing direction along lateral luminaire axis:  $\leq 19$

#### Mounting


- Mounting method, mounting location: surface-mounted, to the luminaire
- Arrangement: single arrangement

#### Dimensions, Weight

- Diameter: 570mm
- Height: 234mm
- Weight: 1.7kg

Order No.: 59HC91002 | GTIN (EAN): 4058352463208

Dimensions: HB31L,refl,PC,dir,surf



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -