

Order No.: 5EA40LL01 | GTIN (EAN): 4058352449974

Product description: SConWi,MotionLow



SITECO Connect WirelessMotion Low, sensor, communication: Bluetooth, D4i type A, control: local setting and operation with smartphone app, by daylight, by movement, sensor technology: 1 PIR movement sensor, daylight sensor, Smart Interface below, setting of the ECG to logarithmic DALI dimming required, Compatible only with ECGs with logarithmic DALI dimming curve, installation type: screw fastening, installation location: to the luminaire, of plastic, voltage: 24V, voltage type: DC, PIR movement sensor, protection rating (complete): IP66, certification: CE, UKCA, packaging unit: 1 piece

IP 66 IK 09 CE

Wt. (kg): 0.1
GTIN (EAN): 4058352449974

Order No.: 5EA40LL01 | **GTIN (EAN):** 4058352449974

Detailed technical description: SConWi,MotionLow



Key data

- System family: SITECO Connect 31 Wireless
- Product type: sensor
- Product name: SITECO Connect Wireless
- Order No.: 5EA40LL01

Lighting technology | Lamps | Control gear

Component 1

Operating device:

- Control: D4i, Smart Interface below, setting of the ECG to logarithmic DALI dimming required, Compatible only with ECGs with logarithmic DALI dimming curve

Certificates, Standards

- Protection rating: IP66
- Impact resistance: IK09
- Temperature range (operation): - 40..+70°C
- Standard: according to Zhaga book 18
- Certification, designation: CE, UKCA

Material, Colour

- housing: plastic, grey
- Colour specification: grey

Mounting

- Mounting method, mounting location: screw fastening, to the luminaire
- Mounting height: max. 4.5m

Electrical connection

- Nominal voltage: 24V, DC

Dimensions, Weight

- Weight: 0.1kg

Inputs

PIR movement sensor


- Detection range: max. ø15m
- Feature: incl. shield for reducing detection area

Order No.: 5EA40LL01 | **GTIN (EAN):** 4058352449974


Dimensions: SConWi,MotionLow

Detection zone "Motion Low" 5EA40LL01

Side view



Top view



Mounting height
2.4 m

X axis
6.0 m

Y axis
6.0 m

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -