

## Order No.: 5XA769SCS4 | GTIN (EAN): 4058352867969 Product description: SConSpcontroller,surf



SITECO Connect Sportluminaire controller, local control - self-sufficient standalone sensors, configuration via Casambi app, dimmable, installation type: surface-mounted, installation location: to mast, of plastic, protection rating (complete): IP66, insulation class (complete): insulation class II (safety insulation), certification: CE, voltage: 400V, voltage type: AC, cable length: 0,5 m, ECG DALI, Bluetooth®, packaging unit: 1 piece

IP 66 🔲 🤇 🤆

Wt. (kg): 0.4 GTIN (EAN): 40583

4058352867969

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

# ѕітесо

### Order No.: 5XA769SCS4 | GTIN (EAN): 4058352867969 Detailed technical description: SConSpcontroller, surf



#### Key data

- Product type: luminaire controller
- Product name: SITECO Connect Sport
- Order No.: 5XA769SCS4

# Lighting technology | Lamps | Control gear

#### **Component 1**

#### Lamps:

- Rated input power: 2W

#### **Operating device:**

 Control: DALI, dimmable, configuration via Casambi app

#### **Certificates, Standards**

- Protection rating: IP66
- Insulation class: insulation class II (safety insulation)
- Certification, designation: CE

#### Material, Colour

- housing: plastic, black
- Colour specification: black

#### Mounting

 Mounting method, mounting location: surface-mounted, to mast

#### **Electrical connection**

- Connection: cable, 4x 0.75mm<sup>2</sup>, free wire ends
- Nominal voltage: 400V, 50/60Hz, AC

#### **Dimensions, Weight**

Weight: 0.4kg

#### Outputs

#### ECG DALI

- Feature: for maximal four DALI ECGs

#### **Bluetooth**®

- Range: max. 100m in open field

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -