

Order No.: 5EA3BRS01 | GTIN (EAN): 4069025571717


Product description: SConWi,MastBoxStandard,Rel



SITECO Connect WirelessMast Box Standard relay, luminaire controller, communication: 2.4GHz, local mesh radio network, control: local setting and operation with USB stick, optionally via radio push button, manual, installation type: surface-mounted, installation location: to mast, of plastic, voltage: 230V, voltage type: AC, 1 x relay contact, relay contact, max. 10A, protection rating (complete): IP65, insulation class (complete): insulation class II (safety insulation), certification: CE, packaging unit: 1 piece, metal fastening straps not included in delivery

IP 65  

Wt. (kg): 0.7
GTIN (EAN): 4069025571717



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 14.02.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5EA3BRS01 | GTIN (EAN): 4069025571717

Detailed technical description: SConWi,MastBoxStandard,Rel



Key data

- System family: SITECO Connect
- Product type: luminaire controller
- Product name: SITECO Connect Wireless
- Order No.: 5EA3BRS01

Lighting technology | Lamps | Control gear

Component 1

Operating device:

- Control: ON/OFF

Certificates, Standards

- Protection rating: IP65
- Insulation class: insulation class II (safety insulation)
- Temperature range (operation): -25..+80°C
- Certification, designation: CE

Material, Colour

- housing: plastic, dark grey

Mounting

- Mounting method, mounting location: surface-mounted, to mast

Electrical connection


- Nominal voltage: 230V, 50/60Hz, AC
- Operative power consumption: max. 0.5W

Dimensions, Weight

- Weight: 0.7kg

Order No.: 5EA3BRS01 | GTIN (EAN): 4069025571717

Dimensions: SConWi,MastBoxStandard,Rel



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)
Tolerances related to thermal, electrical and photometric data according to IEC 62722
Issued 14.02.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -