

Order No.: 5LZ980302 | GTIN (EAN): 4058352405918


Product description: SConWi, repea, lokCtrlcentCtrl



SITECO Connect Wireless, repeater, master, local control central control installation type: recessed, installation location: in the luminaire, of plastic, protection rating (complete): IP20, insulation class (complete): insulation class II (safety insulation), certification: CE, voltage: 230V, voltage type: AC, 1 x DALI, 1 x DALI, packaging unit: 1 piece

IP 20  

Wt. (kg): 0.1  
GTIN (EAN): 4058352405918



Order No.: 5LZ980302 | GTIN (EAN): 4058352405918

Detailed technical description: SConWi, repea, lokCtrlcentCtrl



#### Key data

- System family: SITECO Connect Wireless
- Product type: lighting management components
- Product name: SITECO Connect Wireless
- Order No.: 5LZ980302

#### Lighting technology | Lamps | Control gear

#### Component 1

##### Operating device:

- Control: DALI

##### Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class II (safety insulation)
- Temperature range (operation): -20..+60°C
- Certification, designation: CE

##### Material, Colour

- housing: plastic, white
- Colour specification: white

##### Mounting

- Mounting method, mounting location: recessed, in the luminaire
- Supplement: only for mounting indoors

##### Electrical connection

- Nominal voltage: 230V, 50Hz, AC

##### Dimensions, Weight

- Weight: 0.1kg

##### Outputs

##### 1x DALI

- Limiting: maximum 64x ECG DALI or 64x ECG DALI DT8 controllable

Order No.: 5LZ980302 | GTIN (EAN): 4058352405918

Dimensions: SConWi, repea, lokCtrlCentCtrl

