

## Photometric test report

### Family Floodlight FL21 mini



**Order number: 5XA7771B2D2A**  
**EAN: 4058352652053**

**LP number**  
**59303\_67**

**Version** design bracket  
**Optic** direct, asymmetric wide distribution  
A520003  
**Cover** toughened safety glass  
**Lamps** LED 3000 K | CRI ≥ 70  
**Controlgear** ECG SITECO iQ  
**Rated values** Net luminous flux = 6240 lm  
Power consumption = 45.5 W  
Luminous efficacy = 137.1 lm/W

**serial**  
**documentation**  
**26.08.2022**

**siteco**

**Luminous intensity in cd/klm**


**C180-0**

**C215-35**

**C220-40**

**C270-90**

**Imax: 1086 cd/klm**



#### Luminaire output ratios

|                |        |
|----------------|--------|
| Eta            | 100.0% |
| Eta 0° - 90°   | 100.0% |
| Eta 90° - 180° | 0.0%   |

#### Measurement conditions

DIN EN 13032 and DIN 5032

#### Luminous intensity class acc. to EN13201-2

|           |       |
|-----------|-------|
| Class:    | G4    |
| Imax 70°  | 458.7 |
| Imax 80°  | 34.3  |
| Imax 90°  | 0.0   |
| Imax >90° | 0.0   |
| Imax >95° | 0.0   |

## Photometric test report

Family  
Floodlight FL21 mini

Order number: 5XA7771B2D2A  
EAN: 4058352652053

LP number  
59303\_67

Envelope curve in cd/klm


KMK 65°

KMK 62,5°

KMK 60°

KMK 57,5°

siteco



Photometric test report

|                                          |                              |                                                  |             |             |             |             |             |             |             |                            |             |                       |             |
|------------------------------------------|------------------------------|--------------------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------------------|-------------|-----------------------|-------------|
| Family<br>Floodlight FL21 mini           |                              | Order number: 5XA7771B2D2A<br>EAN: 4058352652053 |             |             |             |             |             |             |             |                            |             | LP number<br>59303_67 |             |
| Table of values for luminous intensities |                              |                                                  |             |             |             |             |             |             |             | Maximum luminous intensity |             | siteco                |             |
| C-<br>planes                             | 0°<br>180°                   | 5°<br>175°                                       | 10°<br>170° | 15°<br>165° | 20°<br>160° | 25°<br>155° | 30°<br>150° | 35°<br>145° | 40°<br>140° | 45°<br>135°                | 50°<br>130° | 55°<br>125°           | 60°<br>120° |
| γ                                        | Luminous intensity in cd/klm |                                                  |             |             |             |             |             |             |             |                            |             |                       |             |
| 0,0°                                     | 231.6                        | 231.6                                            | 231.6       | 231.6       | 231.6       | 231.6       | 231.6       | 231.6       | 231.6       | 231.6                      | 231.6       | 231.6                 | 231.6       |
| 2,5°                                     | 231.5                        | 234.5                                            | 237.2       | 239.9       | 242.1       | 244.3       | 246.4       | 248.4       | 250.2       | 251.6                      | 253.1       | 254.6                 | 255.7       |
| 5,0°                                     | 229.3                        | 235.1                                            | 240.5       | 245.6       | 250.0       | 254.0       | 257.5       | 260.7       | 263.3       | 265.4                      | 267.6       | 269.2                 | 270.7       |
| 7,5°                                     | 226.2                        | 234.9                                            | 242.4       | 249.0       | 254.6       | 259.4       | 263.2       | 266.3       | 268.6       | 269.8                      | 270.8       | 271.5                 | 271.7       |
| 10,0°                                    | 222.5                        | 233.4                                            | 242.9       | 250.6       | 256.6       | 261.1       | 264.1       | 265.7       | 266.1       | 265.2                      | 263.9       | 262.0                 | 260.3       |
| 12,5°                                    | 218.7                        | 231.6                                            | 242.6       | 250.5       | 256.0       | 259.4       | 260.3       | 259.1       | 256.5       | 252.4                      | 247.8       | 242.9                 | 238.0       |
| 15,0°                                    | 213.5                        | 228.4                                            | 239.9       | 248.4       | 253.1       | 254.4       | 252.5       | 248.3       | 241.3       | 234.5                      | 226.7       | 219.1                 | 212.6       |
| 17,5°                                    | 207.9                        | 224.8                                            | 237.0       | 245.2       | 248.3       | 246.8       | 241.7       | 233.7       | 224.0       | 213.8                      | 204.3       | 195.8                 | 189.0       |
| 20,0°                                    | 202.9                        | 220.7                                            | 233.9       | 241.3       | 242.3       | 238.0       | 229.5       | 218.3       | 206.6       | 195.3                      | 186.0       | 179.3                 | 174.9       |
| 22,5°                                    | 197.4                        | 217.4                                            | 230.8       | 237.1       | 235.8       | 228.3       | 216.6       | 203.4       | 190.7       | 180.7                      | 174.3       | 171.2                 | 170.7       |
| 25,0°                                    | 192.8                        | 214.0                                            | 228.1       | 233.3       | 229.6       | 219.3       | 205.3       | 191.3       | 180.0       | 173.2                      | 171.0       | 172.6                 | 176.3       |
| 27,5°                                    | 188.1                        | 211.9                                            | 226.4       | 230.2       | 223.9       | 211.1       | 195.6       | 181.8       | 173.4       | 171.3                      | 174.7       | 181.5                 | 189.2       |
| 30,0°                                    | 184.9                        | 210.9                                            | 226.6       | 229.5       | 221.1       | 205.8       | 189.7       | 176.8       | 171.2       | 173.6                      | 182.3       | 194.2                 | 204.9       |
| 32,5°                                    | 181.7                        | 210.8                                            | 227.6       | 229.3       | 218.6       | 201.5       | 185.7       | 174.8       | 172.7       | 179.7                      | 193.4       | 209.7                 | 223.3       |
| 35,0°                                    | 178.1                        | 210.0                                            | 229.4       | 230.0       | 217.8       | 199.9       | 183.9       | 176.0       | 178.9       | 191.2                      | 209.9       | 231.0                 | 249.7       |
| 37,5°                                    | 175.4                        | 210.6                                            | 231.6       | 232.2       | 219.4       | 200.9       | 186.3       | 182.3       | 191.3       | 210.3                      | 235.9       | 263.9                 | 289.1       |
| 40,0°                                    | 169.8                        | 208.7                                            | 231.0       | 233.7       | 222.0       | 205.0       | 193.8       | 196.0       | 213.1       | 238.5                      | 269.3       | 300.8                 | 327.7       |
| 42,5°                                    | 163.7                        | 204.8                                            | 228.0       | 230.0       | 216.3       | 199.0       | 190.4       | 198.6       | 220.8       | 245.1                      | 271.5       | 296.4                 | 317.0       |
| 45,0°                                    | 159.0                        | 202.1                                            | 226.7       | 225.9       | 206.9       | 185.9       | 177.4       | 187.6       | 211.9       | 240.6                      | 269.2       | 293.9                 | 312.6       |
| 47,5°                                    | 157.8                        | 206.0                                            | 234.1       | 231.9       | 210.9       | 189.3       | 184.8       | 201.3       | 231.8       | 263.5                      | 288.6       | 307.1                 | 321.7       |
| 50,0°                                    | 157.4                        | 214.1                                            | 248.3       | 247.0       | 225.5       | 204.9       | 205.6       | 228.7       | 261.1       | 290.4                      | 309.0       | 319.1                 | 329.1       |
| 52,5°                                    | 163.2                        | 228.6                                            | 268.5       | 268.3       | 246.7       | 228.5       | 234.7       | 261.3       | 291.0       | 312.6                      | 324.0       | 330.0                 | 348.1       |
| 55,0°                                    | 172.1                        | 259.8                                            | 301.9       | 304.0       | 280.4       | 263.2       | 273.7       | 300.9       | 326.9       | 344.5                      | 360.1       | 388.8                 | 439.1       |
| 57,5°                                    | 203.4                        | 308.5                                            | 371.7       | 376.8       | 355.2       | 346.7       | 368.6       | 403.7       | 435.1       | 467.2                      | 515.3       | 563.4                 | 588.4       |
| 60,0°                                    | 281.0                        | 437.6                                            | 528.1       | 543.6       | 533.8       | 544.1       | 586.8       | 635.0       | 681.7       | 736.4                      | 770.6       | 755.2                 | 706.8       |
| 62,5°                                    | 459.0                        | 683.9                                            | 801.0       | 823.5       | 822.2       | 848.4       | 906.9       | 960.5       | 1004.1      | 1008.6                     | 950.1       | 833.7                 | 672.9       |
| 65,0°                                    | 541.0                        | 836.7                                            | 974.5       | 994.6       | 989.6       | 1015.3      | 1059.5      | 1086.1      | 1066.5      | 983.9                      | 838.7       | 655.4                 | 484.9       |
| 67,5°                                    | 421.8                        | 721.2                                            | 884.2       | 915.6       | 892.2       | 875.4       | 867.2       | 831.1       | 750.0       | 630.8                      | 494.5       | 376.5                 | 281.8       |
| 70,0°                                    | 164.2                        | 284.0                                            | 373.6       | 428.7       | 458.7       | 451.5       | 438.1       | 405.6       | 349.3       | 286.2                      | 234.6       | 187.8                 | 147.2       |
| 72,5°                                    | 37.8                         | 50.0                                             | 56.7        | 67.7        | 100.8       | 124.5       | 127.5       | 125.3       | 110.6       | 85.4                       | 86.9        | 78.5                  | 67.8        |
| 75,0°                                    | 25.6                         | 27.1                                             | 28.6        | 29.9        | 32.4        | 37.7        | 39.6        | 40.4        | 33.6        | 32.0                       | 36.5        | 35.9                  | 34.7        |
| 77,5°                                    | 18.9                         | 19.4                                             | 20.1        | 20.7        | 21.4        | 22.5        | 22.9        | 23.3        | 22.7        | 23.1                       | 24.1        | 24.2                  | 25.6        |
| 80,0°                                    | 14.3                         | 13.2                                             | 13.3        | 13.7        | 14.1        | 15.1        | 15.0        | 15.1        | 15.1        | 15.6                       | 15.8        | 15.8                  | 19.3        |
| 82,5°                                    | 8.4                          | 7.6                                              | 7.8         | 8.1         | 8.3         | 9.0         | 9.0         | 8.9         | 9.1         | 9.3                        | 9.4         | 9.2                   | 10.5        |
| 85,0°                                    | 4.1                          | 3.5                                              | 3.5         | 3.7         | 3.9         | 4.1         | 4.3         | 4.3         | 4.3         | 4.3                        | 4.3         | 4.3                   | 4.4         |
| 87,5°                                    | 1.3                          | 1.3                                              | 1.2         | 1.2         | 1.2         | 1.2         | 1.3         | 1.3         | 1.2         | 1.2                        | 1.1         | 1.1                   | 1.1         |
| 90,0°                                    | 0.0                          | 0.0                                              | 0.0         | 0.0         | 0.0         | 0.0         | 0.0         | 0.0         | 0.0         | 0.0                        | 0.0         | 0.0                   | 0.0         |

Photometric test report

|                                          |                              |                                                  |             |             |            |       |              |              |              |                            |              |                       |              |
|------------------------------------------|------------------------------|--------------------------------------------------|-------------|-------------|------------|-------|--------------|--------------|--------------|----------------------------|--------------|-----------------------|--------------|
| Family<br>Floodlight FL21 mini           |                              | Order number: 5XA7771B2D2A<br>EAN: 4058352652053 |             |             |            |       |              |              |              |                            |              | LP number<br>59303_67 |              |
| Table of values for luminous intensities |                              |                                                  |             |             |            |       |              |              |              | Maximum luminous intensity |              | siteco                |              |
| C-<br>planes                             | 65°<br>115°                  | 70°<br>110°                                      | 75°<br>105° | 80°<br>100° | 85°<br>95° | 90°   | 185°<br>355° | 190°<br>350° | 195°<br>345° | 200°<br>340°               | 205°<br>335° | 210°<br>330°          | 215°<br>325° |
| γ                                        | Luminous intensity in cd/klm |                                                  |             |             |            |       |              |              |              |                            |              |                       |              |
| 0,0°                                     | 231.6                        | 231.6                                            | 231.6       | 231.6       | 231.6      | 231.6 | 231.6        | 231.6        | 231.6        | 231.6                      | 231.6        | 231.6                 | 231.6        |
| 2,5°                                     | 256.6                        | 257.5                                            | 258.2       | 258.8       | 259.1      | 259.4 | 228.6        | 225.4        | 222.3        | 219.2                      | 216.1        | 213.0                 | 210.1        |
| 5,0°                                     | 271.7                        | 272.4                                            | 273.1       | 273.6       | 273.9      | 274.0 | 223.0        | 216.4        | 209.6        | 202.9                      | 196.2        | 189.6                 | 183.4        |
| 7,5°                                     | 271.7                        | 271.4                                            | 271.2       | 271.2       | 271.4      | 271.4 | 217.0        | 207.0        | 196.7        | 186.4                      | 176.4        | 166.9                 | 158.0        |
| 10,0°                                    | 257.9                        | 256.3                                            | 254.9       | 254.1       | 254.0      | 253.8 | 210.4        | 197.3        | 183.8        | 170.7                      | 158.0        | 146.5                 | 136.7        |
| 12,5°                                    | 233.8                        | 230.0                                            | 227.5       | 225.9       | 225.2      | 224.9 | 203.7        | 187.7        | 171.5        | 156.1                      | 142.2        | 130.7                 | 121.9        |
| 15,0°                                    | 206.9                        | 202.4                                            | 199.3       | 197.4       | 196.4      | 196.3 | 196.1        | 177.5        | 159.4        | 143.0                      | 129.7        | 120.2                 | 113.7        |
| 17,5°                                    | 184.0                        | 180.4                                            | 178.5       | 177.4       | 177.1      | 177.2 | 188.5        | 167.5        | 147.8        | 131.8                      | 120.4        | 113.4                 | 109.4        |
| 20,0°                                    | 172.4                        | 171.1                                            | 171.0       | 171.5       | 172.1      | 172.5 | 180.7        | 157.7        | 137.5        | 122.6                      | 113.6        | 109.0                 | 106.6        |
| 22,5°                                    | 171.7                        | 173.3                                            | 175.3       | 177.6       | 179.5      | 180.3 | 173.5        | 148.7        | 128.5        | 115.4                      | 108.6        | 105.6                 | 103.3        |
| 25,0°                                    | 180.4                        | 184.0                                            | 187.5       | 191.1       | 194.0      | 195.2 | 166.1        | 140.4        | 120.9        | 110.1                      | 105.1        | 102.4                 | 99.8         |
| 27,5°                                    | 194.9                        | 198.1                                            | 201.4       | 206.2       | 209.6      | 210.4 | 159.8        | 133.1        | 114.9        | 105.9                      | 102.2        | 99.3                  | 96.7         |
| 30,0°                                    | 211.0                        | 213.4                                            | 216.8       | 223.3       | 225.7      | 225.2 | 153.2        | 125.9        | 109.4        | 102.4                      | 99.3         | 96.6                  | 93.0         |
| 32,5°                                    | 230.7                        | 234.4                                            | 240.4       | 248.9       | 249.2      | 248.6 | 147.8        | 119.8        | 104.8        | 99.1                       | 96.4         | 93.6                  | 86.1         |
| 35,0°                                    | 260.3                        | 266.9                                            | 278.0       | 288.2       | 286.9      | 287.5 | 141.1        | 113.3        | 99.9         | 95.7                       | 92.6         | 86.8                  | 78.5         |
| 37,5°                                    | 303.6                        | 312.8                                            | 322.9       | 327.5       | 328.1      | 329.6 | 135.0        | 107.3        | 95.8         | 92.5                       | 86.3         | 78.6                  | 74.0         |
| 40,0°                                    | 343.2                        | 350.8                                            | 360.0       | 365.5       | 369.3      | 372.3 | 127.7        | 101.3        | 91.9         | 89.1                       | 78.2         | 72.6                  | 71.6         |
| 42,5°                                    | 329.7                        | 335.0                                            | 342.0       | 348.1       | 352.2      | 354.4 | 120.9        | 96.0         | 88.5         | 85.4                       | 72.4         | 69.5                  | 69.2         |
| 45,0°                                    | 325.0                        | 331.5                                            | 341.4       | 352.4       | 358.7      | 361.7 | 113.7        | 91.1         | 85.4         | 81.8                       | 68.4         | 66.7                  | 66.9         |
| 47,5°                                    | 334.5                        | 343.3                                            | 356.2       | 373.7       | 383.7      | 388.7 | 109.8        | 87.7         | 82.9         | 78.3                       | 65.3         | 64.2                  | 64.3         |
| 50,0°                                    | 344.2                        | 365.5                                            | 393.0       | 427.0       | 447.6      | 455.9 | 106.1        | 84.9         | 80.8         | 74.6                       | 62.0         | 61.6                  | 61.6         |
| 52,5°                                    | 386.7                        | 435.0                                            | 483.5       | 531.2       | 558.8      | 569.1 | 104.9        | 83.4         | 79.4         | 71.3                       | 59.2         | 58.9                  | 58.9         |
| 55,0°                                    | 491.9                        | 536.5                                            | 582.5       | 630.2       | 661.6      | 674.9 | 106.0        | 83.1         | 78.7         | 67.9                       | 56.9         | 56.2                  | 56.5         |
| 57,5°                                    | 601.7                        | 615.0                                            | 643.8       | 682.0       | 709.6      | 721.4 | 114.8        | 85.9         | 79.7         | 66.3                       | 55.7         | 54.1                  | 54.2         |
| 60,0°                                    | 644.7                        | 592.9                                            | 578.6       | 591.2       | 605.1      | 611.2 | 140.6        | 94.7         | 85.1         | 70.0                       | 59.8         | 55.6                  | 53.5         |
| 62,5°                                    | 532.1                        | 442.6                                            | 407.1       | 390.4       | 371.5      | 372.0 | 218.5        | 116.7        | 98.1         | 83.3                       | 74.8         | 67.3                  | 59.4         |
| 65,0°                                    | 359.7                        | 284.4                                            | 213.4       | 163.1       | 135.7      | 136.8 | 267.6        | 124.6        | 102.7        | 92.8                       | 88.5         | 81.4                  | 71.2         |
| 67,5°                                    | 212.7                        | 163.6                                            | 70.8        | 55.1        | 51.3       | 50.3  | 137.5        | 86.1         | 80.6         | 78.6                       | 79.5         | 76.7                  | 70.5         |
| 70,0°                                    | 116.8                        | 92.0                                             | 45.7        | 40.5        | 39.5       | 39.3  | 53.1         | 45.7         | 45.1         | 46.7                       | 49.3         | 52.7                  | 53.8         |
| 72,5°                                    | 57.5                         | 49.2                                             | 35.9        | 34.4        | 34.4       | 35.0  | 34.1         | 33.0         | 31.8         | 31.7                       | 32.8         | 35.6                  | 37.7         |
| 75,0°                                    | 32.7                         | 31.8                                             | 30.6        | 28.9        | 27.7       | 28.0  | 27.3         | 26.2         | 25.0         | 25.1                       | 26.1         | 27.7                  | 29.9         |
| 77,5°                                    | 32.1                         | 32.2                                             | 25.5        | 20.8        | 19.4       | 19.6  | 20.3         | 19.4         | 18.9         | 19.4                       | 20.1         | 21.7                  | 22.9         |
| 80,0°                                    | 34.3                         | 31.4                                             | 17.5        | 13.9        | 12.8       | 12.7  | 15.0         | 13.6         | 13.2         | 13.8                       | 14.5         | 15.5                  | 16.1         |
| 82,5°                                    | 16.1                         | 15.6                                             | 10.1        | 8.2         | 7.5        | 7.1   | 8.4          | 7.8          | 8.2          | 8.7                        | 9.2          | 9.6                   | 9.8          |
| 85,0°                                    | 5.2                          | 5.1                                              | 4.4         | 3.6         | 3.2        | 2.9   | 3.6          | 3.8          | 4.0          | 4.3                        | 4.5          | 4.6                   | 4.7          |
| 87,5°                                    | 1.1                          | 1.1                                              | 1.0         | 1.0         | 0.9        | 0.9   | 1.3          | 1.4          | 1.5          | 1.6                        | 1.6          | 1.7                   | 1.7          |
| 90,0°                                    | 0.0                          | 0.0                                              | 0.0         | 0.0         | 0.0        | 0.0   | 0.0          | 0.0          | 0.0          | 0.0                        | 0.0          | 0.0                   | 0.0          |

Photometric test report

| Family<br>Floodlight FL21 mini           |                              |              |              | Order number: 5XA7771B2D2A<br>EAN: 4058352652053 |              |              |              |              |              |              |       | LP number<br>59303_67      |                   |        |
|------------------------------------------|------------------------------|--------------|--------------|--------------------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|-------|----------------------------|-------------------|--------|
| Table of values for luminous intensities |                              |              |              |                                                  |              |              |              |              |              |              |       | Maximum luminous intensity |                   | sīteco |
| C-<br>planes                             | 220°<br>320°                 | 225°<br>315° | 230°<br>310° | 235°<br>305°                                     | 240°<br>300° | 245°<br>295° | 250°<br>290° | 255°<br>285° | 260°<br>280° | 265°<br>275° | 270°  | Phi-zone                   | Total<br>Phi-zone |        |
| γ                                        | Luminous intensity in cd/klm |              |              |                                                  |              |              |              |              |              |              |       | Luminous flux in lm/klm    |                   |        |
| 0,0°                                     | 231.6                        | 231.6        | 231.6        | 231.6                                            | 231.6        | 231.6        | 231.6        | 231.6        | 231.6        | 231.6        | 231.6 | 0.3                        | 0.3               |        |
| 2,5°                                     | 207.5                        | 204.9        | 202.7        | 200.5                                            | 198.6        | 197.1        | 195.7        | 194.7        | 193.7        | 193.2        | 192.8 | 2.7                        | 3.1               |        |
| 5,0°                                     | 177.6                        | 172.1        | 167.4        | 163.0                                            | 159.2        | 156.1        | 153.5        | 151.5        | 149.9        | 148.9        | 148.5 | 5.2                        | 8.3               |        |
| 7,5°                                     | 150.1                        | 142.9        | 137.0        | 131.9                                            | 127.9        | 124.9        | 122.4        | 120.5        | 119.1        | 118.3        | 118.1 | 7.5                        | 15.8              |        |
| 10,0°                                    | 128.5                        | 122.0        | 117.0        | 113.1                                            | 110.2        | 108.2        | 106.7        | 105.6        | 104.9        | 104.5        | 104.4 | 9.4                        | 25.2              |        |
| 12,5°                                    | 115.4                        | 110.6        | 107.3        | 105.0                                            | 103.3        | 102.3        | 101.4        | 100.8        | 100.3        | 100.0        | 100.0 | 11.0                       | 36.2              |        |
| 15,0°                                    | 109.4                        | 106.5        | 104.4        | 102.5                                            | 100.6        | 98.9         | 97.6         | 96.5         | 95.7         | 95.3         | 95.2  | 12.4                       | 48.5              |        |
| 17,5°                                    | 107.0                        | 104.7        | 102.2        | 99.6                                             | 97.2         | 95.1         | 93.4         | 92.2         | 91.3         | 90.8         | 90.7  | 13.5                       | 62.0              |        |
| 20,0°                                    | 104.4                        | 101.8        | 99.0         | 96.5                                             | 94.3         | 92.3         | 90.6         | 89.4         | 88.6         | 88.1         | 87.9  | 14.7                       | 76.7              |        |
| 22,5°                                    | 100.7                        | 98.3         | 96.1         | 94.1                                             | 92.0         | 88.8         | 86.1         | 84.6         | 84.0         | 83.8         | 83.7  | 15.9                       | 92.6              |        |
| 25,0°                                    | 97.4                         | 95.3         | 93.3         | 90.3                                             | 85.4         | 80.8         | 77.4         | 75.9         | 75.4         | 75.0         | 74.9  | 17.2                       | 109.8             |        |
| 27,5°                                    | 93.6                         | 90.0         | 86.6         | 82.2                                             | 77.4         | 74.3         | 72.6         | 71.2         | 70.2         | 69.5         | 69.2  | 18.7                       | 128.5             |        |
| 30,0°                                    | 86.3                         | 81.5         | 78.6         | 76.0                                             | 74.5         | 73.2         | 71.7         | 70.2         | 69.1         | 68.3         | 68.0  | 20.3                       | 148.8             |        |
| 32,5°                                    | 78.4                         | 75.9         | 74.9         | 74.2                                             | 73.3         | 72.0         | 70.3         | 68.7         | 67.5         | 66.6         | 66.3  | 22.3                       | 171.0             |        |
| 35,0°                                    | 74.7                         | 74.0         | 73.4         | 72.6                                             | 71.4         | 70.0         | 68.4         | 67.0         | 65.9         | 65.1         | 64.7  | 24.7                       | 195.7             |        |
| 37,5°                                    | 73.1                         | 72.5         | 71.7         | 70.5                                             | 69.5         | 68.4         | 67.2         | 66.0         | 65.0         | 64.2         | 63.7  | 27.7                       | 223.4             |        |
| 40,0°                                    | 71.3                         | 70.7         | 69.5         | 68.6                                             | 68.0         | 67.3         | 66.3         | 65.4         | 64.7         | 63.8         | 63.2  | 31.0                       | 254.4             |        |
| 42,5°                                    | 69.2                         | 68.5         | 67.9         | 67.4                                             | 66.9         | 66.4         | 66.0         | 65.6         | 65.0         | 64.1         | 63.5  | 31.7                       | 286.1             |        |
| 45,0°                                    | 66.8                         | 66.7         | 66.6         | 66.5                                             | 66.4         | 66.4         | 66.5         | 66.7         | 66.6         | 65.7         | 65.1  | 32.6                       | 318.8             |        |
| 47,5°                                    | 64.7                         | 65.2         | 65.7         | 66.1                                             | 66.6         | 67.3         | 68.3         | 69.4         | 69.8         | 69.3         | 68.8  | 35.2                       | 354.0             |        |
| 50,0°                                    | 62.4                         | 63.6         | 64.7         | 66.0                                             | 67.5         | 69.6         | 72.3         | 74.7         | 75.7         | 75.8         | 75.7  | 39.1                       | 393.1             |        |
| 52,5°                                    | 60.1                         | 61.7         | 63.7         | 65.9                                             | 69.0         | 73.4         | 79.0         | 83.4         | 84.7         | 85.3         | 85.7  | 45.1                       | 438.2             |        |
| 55,0°                                    | 57.8                         | 60.0         | 62.7         | 66.7                                             | 72.0         | 79.7         | 88.9         | 94.8         | 95.2         | 95.9         | 96.7  | 53.5                       | 491.8             |        |
| 57,5°                                    | 55.6                         | 58.3         | 62.2         | 68.2                                             | 76.3         | 87.4         | 99.9         | 106.1        | 104.6        | 104.6        | 105.7 | 66.2                       | 558.0             |        |
| 60,0°                                    | 53.9                         | 56.9         | 62.2         | 70.3                                             | 81.0         | 94.3         | 107.8        | 112.8        | 108.9        | 107.7        | 108.8 | 82.6                       | 640.6             |        |
| 62,5°                                    | 55.4                         | 56.9         | 62.5         | 71.8                                             | 84.2         | 97.4         | 109.3        | 112.3        | 106.3        | 104.1        | 104.5 | 99.5                       | 740.1             |        |
| 65,0°                                    | 63.7                         | 63.5         | 66.0         | 72.7                                             | 84.1         | 95.3         | 105.1        | 105.4        | 98.9         | 95.6         | 96.1  | 99.9                       | 840.0             |        |
| 67,5°                                    | 70.1                         | 78.4         | 77.3         | 72.4                                             | 79.6         | 88.2         | 95.1         | 94.0         | 87.3         | 84.7         | 85.0  | 77.4                       | 917.4             |        |
| 70,0°                                    | 61.5                         | 83.1         | 81.8         | 70.7                                             | 72.2         | 78.2         | 82.6         | 81.2         | 75.4         | 72.7         | 73.9  | 40.8                       | 958.2             |        |
| 72,5°                                    | 42.3                         | 57.4         | 62.9         | 59.5                                             | 61.2         | 65.1         | 67.5         | 65.8         | 60.5         | 58.3         | 60.0  | 16.1                       | 974.3             |        |
| 75,0°                                    | 31.9                         | 36.8         | 42.7         | 46.3                                             | 49.5         | 52.1         | 53.3         | 51.3         | 47.4         | 45.6         | 47.0  | 9.3                        | 983.7             |        |
| 77,5°                                    | 24.7                         | 27.9         | 31.7         | 34.9                                             | 37.5         | 39.4         | 39.8         | 37.3         | 34.2         | 32.7         | 33.7  | 6.9                        | 990.6             |        |
| 80,0°                                    | 17.6                         | 19.4         | 21.6         | 23.6                                             | 25.1         | 26.0         | 25.6         | 23.9         | 22.2         | 21.1         | 21.1  | 4.9                        | 995.4             |        |
| 82,5°                                    | 10.4                         | 11.4         | 12.7         | 13.8                                             | 14.8         | 15.6         | 15.4         | 14.5         | 13.4         | 12.7         | 12.6  | 2.9                        | 998.3             |        |
| 85,0°                                    | 4.9                          | 5.3          | 5.9          | 6.5                                              | 7.0          | 7.3          | 7.4          | 7.1          | 6.6          | 6.3          | 6.2   | 1.3                        | 999.6             |        |
| 87,5°                                    | 1.7                          | 1.8          | 1.9          | 2.0                                              | 2.2          | 2.2          | 2.2          | 2.1          | 1.9          | 1.8          | 1.7   | 0.4                        | 1000.0            |        |
| 90,0°                                    | 0.0                          | 0.0          | 0.0          | 0.0                                              | 0.0          | 0.0          | 0.0          | 0.0          | 0.0          | 0.0          | 0.0   | 0.0                        | 1000.0            |        |

Photometric test report

|                                                                        |                                                                |                                                                                     |
|------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Family</b><br><b>Floodlight FL21 mini</b>                           | <b>Order number: 5XA7771B2D2A</b><br><b>EAN: 4058352652053</b> | <b>LP number</b><br><b>59303_67</b>                                                 |
| <b>Dimming levels table</b> <div>environmental temperature: 25°C</div> |                                                                |  |

| Luminous flux [%] | Dimming level linear | Dimming level logarithmic | Luminous flux [lm] | Power consumption [W]start of lifetime | Power consumption [W]end of lifetime | Power consumption [W]average |
|-------------------|----------------------|---------------------------|--------------------|----------------------------------------|--------------------------------------|------------------------------|
| 100               | 254                  | 254                       | 6240               | 45.5                                   | 48.0                                 | 46.8                         |
| 95                | 241                  | 252                       | 5921               | 42.8                                   | 45.1                                 | 44.0                         |
| 90                | 229                  | 250                       | 5626               | 40.3                                   | 42.5                                 | 41.4                         |
| 85                | 216                  | 248                       | 5306               | 37.7                                   | 39.7                                 | 38.7                         |
| 80                | 203                  | 246                       | 4987               | 35.1                                   | 37.0                                 | 36.0                         |
| 75                | 190                  | 243                       | 4668               | 32.8                                   | 34.4                                 | 33.6                         |
| 70                | 178                  | 241                       | 4373               | 30.5                                   | 32.1                                 | 31.3                         |
| 65                | 165                  | 238                       | 4054               | 28.2                                   | 29.6                                 | 28.9                         |
| 60                | 152                  | 235                       | 3734               | 25.8                                   | 27.2                                 | 26.5                         |
| 55                | 140                  | 232                       | 3439               | 23.7                                   | 24.9                                 | 24.3                         |
| 50                | 127                  | 229                       | 3120               | 21.5                                   | 22.6                                 | 22.0                         |
| 45                | 114                  | 225                       | 2801               | 19.3                                   | 20.3                                 | 19.8                         |
| 40                | 102                  | 221                       | 2506               | 17.4                                   | 18.2                                 | 17.8                         |
| 35                | 89                   | 216                       | 2186               | 15.3                                   | 16.1                                 | 15.7                         |
| 30                | 76                   | 210                       | 1867               | 13.3                                   | 13.9                                 | 13.6                         |
| 25                | 63                   | 203                       | 1548               | 11.4                                   | 11.9                                 | 11.6                         |
| 20                | 51                   | 195                       | 1253               | 9.5                                    | 9.9                                  | 9.7                          |
| 15                | 39                   | 185                       | 958                | 8.2                                    | 8.3                                  | 8.2                          |