

## Photometric test report

**Family**  
**Highbay 21**

**Order number: 52HN11DA4HDA**  
**EAN: 4069025254740**

**LP number**  
**59724\_6**



**Version** primary light control with lens, PMMA, housing, white, narrow distribution

**Lamps** LED 4000 K | CRI ≥ 80

**Controlgear** ECG-DALI

**Setting** AC-mode

**Rated values** Net luminous flux = 19000 lm  
Power consumption = 98.9 W  
Luminous efficacy = 192.1 lm/W

**serial**  
**documentation**  
**24.02.2025**


**sit**eco

**Luminous intensity in cd/klm**

**C180-0**

**C270-90**

**Imax: 2719 cd/klm**



### Classifications

DIN 5040 A 7 0  
CIE N1=89 N2=97 N3=99  
N4=100 N5=100

### Luminaire light output ratios

$\eta_{LB}$  100.0%  
 $\phi_u$  100.0%  
 $\phi_o$  0.0%

### Measurement conditions

DIN EN 13032 and DIN 5032

Photometric test report

|                                          |                                                  |                            |
|------------------------------------------|--------------------------------------------------|----------------------------|
| Family<br>Highbay 21                     | Order number: 52HN11DA4HDA<br>EAN: 4069025254740 | LP number<br>59724_6       |
| Table of values for luminous intensities |                                                  | Maximum luminous intensity |

sitEco

| C-<br>planes | 0,0°<br>180,0° | 7,5°<br>172,5°<br>187,5°<br>352,5° | 15,0°<br>165,0°<br>195,0°<br>345,0° | 22,5°<br>157,5°<br>202,5°<br>337,5° | 30,0°<br>150,0°<br>210,0°<br>330,0° | 37,5°<br>142,5°<br>217,5°<br>322,5° | 45,0°<br>135,0°<br>225,0°<br>315,0° |
|--------------|----------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
|              |                | Luminous intensity in cd/klm       |                                     |                                     |                                     |                                     |                                     |
| γ            |                |                                    |                                     |                                     |                                     |                                     |                                     |
| 0,0°         | 2718.5         | 2718.5                             | 2718.5                              | 2718.5                              | 2718.5                              | 2718.5                              | 2718.5                              |
| 2,5°         | 2662.8         | 2671.1                             | 2671.1                              | 2670.6                              | 2667.6                              | 2663.3                              | 2662.4                              |
| 5,0°         | 2502.8         | 2490.9                             | 2498.0                              | 2494.5                              | 2487.6                              | 2479.1                              | 2473.3                              |
| 7,5°         | 2228.4         | 2233.8                             | 2227.9                              | 2223.2                              | 2214.7                              | 2203.4                              | 2194.2                              |
| 10,0°        | 1915.8         | 1894.8                             | 1902.8                              | 1897.9                              | 1890.8                              | 1880.8                              | 1870.9                              |
| 12,5°        | 1554.6         | 1560.7                             | 1554.3                              | 1552.6                              | 1548.0                              | 1540.2                              | 1531.7                              |
| 15,0°        | 1246.2         | 1237.0                             | 1237.4                              | 1238.4                              | 1237.7                              | 1233.9                              | 1229.0                              |
| 17,5°        | 947.1          | 964.7                              | 959.6                               | 960.0                               | 960.5                               | 959.5                               | 958.4                               |
| 20,0°        | 765.0          | 752.2                              | 754.6                               | 751.6                               | 749.0                               | 747.8                               | 747.5                               |
| 22,5°        | 591.2          | 598.6                              | 590.3                               | 583.2                               | 577.5                               | 573.8                               | 572.1                               |
| 25,0°        | 481.4          | 472.8                              | 470.4                               | 460.9                               | 451.8                               | 445.8                               | 443.1                               |
| 27,5°        | 370.5          | 376.3                              | 371.1                               | 363.9                               | 355.1                               | 347.9                               | 344.8                               |
| 30,0°        | 301.2          | 297.9                              | 295.0                               | 290.6                               | 284.7                               | 279.0                               | 275.2                               |
| 32,5°        | 234.8          | 237.8                              | 234.9                               | 232.8                               | 229.2                               | 225.3                               | 220.4                               |
| 35,0°        | 189.2          | 188.5                              | 187.7                               | 186.9                               | 184.4                               | 180.6                               | 175.3                               |
| 37,5°        | 154.0          | 153.7                              | 151.7                               | 151.0                               | 148.4                               | 144.9                               | 141.0                               |
| 40,0°        | 125.7          | 123.3                              | 123.0                               | 121.9                               | 119.1                               | 115.8                               | 113.2                               |
| 42,5°        | 99.2           | 100.3                              | 99.3                                | 98.6                                | 95.9                                | 92.9                                | 90.7                                |
| 45,0°        | 81.4           | 79.6                               | 79.7                                | 79.0                                | 77.2                                | 74.6                                | 72.7                                |
| 47,5°        | 64.2           | 64.9                               | 64.5                                | 64.0                                | 62.8                                | 60.9                                | 59.5                                |
| 50,0°        | 52.5           | 51.6                               | 51.8                                | 51.7                                | 51.0                                | 49.9                                | 49.1                                |
| 52,5°        | 41.7           | 41.9                               | 41.8                                | 42.1                                | 41.9                                | 41.4                                | 40.9                                |
| 55,0°        | 33.9           | 33.5                               | 34.1                                | 34.8                                | 35.0                                | 35.0                                | 34.7                                |
| 57,5°        | 27.1           | 27.4                               | 28.1                                | 29.2                                | 29.7                                | 29.7                                | 29.6                                |
| 60,0°        | 22.3           | 22.3                               | 23.0                                | 24.6                                | 25.8                                | 25.8                                | 25.5                                |
| 62,5°        | 19.0           | 19.2                               | 19.6                                | 20.7                                | 22.4                                | 22.3                                | 22.0                                |
| 65,0°        | 17.0           | 16.8                               | 17.2                                | 18.3                                | 19.8                                | 19.1                                | 19.1                                |
| 67,5°        | 14.7           | 14.8                               | 14.9                                | 16.1                                | 17.2                                | 16.3                                | 16.1                                |
| 70,0°        | 12.8           | 12.5                               | 12.6                                | 13.8                                | 14.3                                | 13.8                                | 13.9                                |
| 72,5°        | 11.3           | 11.1                               | 10.9                                | 11.6                                | 11.4                                | 11.2                                | 11.7                                |
| 75,0°        | 9.7            | 9.3                                | 8.9                                 | 9.6                                 | 9.3                                 | 9.1                                 | 9.3                                 |
| 77,5°        | 7.4            | 7.4                                | 7.1                                 | 7.5                                 | 7.1                                 | 6.8                                 | 7.1                                 |
| 80,0°        | 4.9            | 4.7                                | 4.8                                 | 4.8                                 | 4.5                                 | 4.5                                 | 4.8                                 |
| 82,5°        | 2.2            | 2.3                                | 2.3                                 | 2.4                                 | 2.4                                 | 2.5                                 | 2.7                                 |
| 85,0°        | 0.8            | 0.8                                | 0.8                                 | 0.8                                 | 0.8                                 | 0.9                                 | 1.0                                 |
| 87,5°        | 0.4            | 0.4                                | 0.4                                 | 0.4                                 | 0.4                                 | 0.4                                 | 0.4                                 |

Photometric test report

|                                          |                                                  |                            |
|------------------------------------------|--------------------------------------------------|----------------------------|
| Family<br>Highbay 21                     | Order number: 52HN11DA4HDA<br>EAN: 4069025254740 | LP number<br>59724_6       |
| Table of values for luminous intensities |                                                  | Maximum luminous intensity |
|                                          |                                                  | siteco                     |

| C-<br>planes | 52,5°<br>127,5°<br>232,5°<br>307,5° | 60,0°<br>120,0°<br>240,0°<br>300,0° | 67,5°<br>112,5°<br>247,5°<br>292,5° | 75,0°<br>105,0°<br>255,0°<br>285,0° | 82,5°<br>97,5°<br>262,5°<br>277,5° | 90,0°<br>270,0° | Phi-zone                | Total<br>Phi-zone |
|--------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|------------------------------------|-----------------|-------------------------|-------------------|
| γ            | Luminous intensity in cd/klm        |                                     |                                     |                                     |                                    |                 | Luminous flux in lm/klm |                   |
| 0,0°         | 2718.5                              | 2718.5                              | 2718.5                              | 2718.5                              | 2718.5                             | 2718.5          | 4.1                     | 4.1               |
| 2,5°         | 2661.4                              | 2660.0                              | 2657.7                              | 2657.0                              | 2651.0                             | 2647.2          | 31.8                    | 35.9              |
| 5,0°         | 2468.0                              | 2461.9                              | 2456.3                              | 2452.9                              | 2444.7                             | 2440.4          | 59.1                    | 95.0              |
| 7,5°         | 2185.5                              | 2176.0                              | 2168.0                              | 2162.0                              | 2152.6                             | 2148.3          | 78.5                    | 173.5             |
| 10,0°        | 1860.3                              | 1847.8                              | 1837.7                              | 1831.0                              | 1822.1                             | 1817.6          | 88.9                    | 262.4             |
| 12,5°        | 1522.0                              | 1510.4                              | 1500.7                              | 1495.5                              | 1488.9                             | 1485.2          | 90.6                    | 353.0             |
| 15,0°        | 1223.0                              | 1215.3                              | 1207.9                              | 1204.2                              | 1200.8                             | 1197.6          | 86.8                    | 439.8             |
| 17,5°        | 955.3                               | 949.4                               | 945.6                               | 944.9                               | 945.8                              | 944.0           | 78.6                    | 518.5             |
| 20,0°        | 745.4                               | 741.8                               | 741.4                               | 743.7                               | 748.0                              | 747.7           | 70.2                    | 588.6             |
| 22,5°        | 571.4                               | 571.2                               | 573.5                               | 575.9                               | 579.7                              | 580.1           | 60.8                    | 649.4             |
| 25,0°        | 443.2                               | 444.5                               | 446.3                               | 448.3                               | 449.2                              | 448.8           | 52.5                    | 701.9             |
| 27,5°        | 344.0                               | 344.5                               | 345.1                               | 346.1                               | 344.9                              | 343.6           | 44.7                    | 746.7             |
| 30,0°        | 273.7                               | 273.8                               | 273.9                               | 272.4                               | 270.2                              | 268.2           | 38.5                    | 785.2             |
| 32,5°        | 217.7                               | 217.2                               | 215.9                               | 213.7                               | 211.0                              | 209.4           | 32.9                    | 818.1             |
| 35,0°        | 172.5                               | 170.5                               | 168.2                               | 166.4                               | 165.0                              | 164.5           | 27.8                    | 845.9             |
| 37,5°        | 138.1                               | 135.6                               | 133.3                               | 132.0                               | 130.7                              | 130.3           | 23.7                    | 869.5             |
| 40,0°        | 110.2                               | 108.1                               | 106.1                               | 104.8                               | 103.7                              | 103.1           | 20.0                    | 889.6             |
| 42,5°        | 88.5                                | 86.8                                | 85.0                                | 83.9                                | 83.2                               | 82.7            | 16.9                    | 906.5             |
| 45,0°        | 71.2                                | 69.8                                | 68.4                                | 67.3                                | 66.9                               | 66.6            | 14.2                    | 920.7             |
| 47,5°        | 58.5                                | 57.3                                | 56.0                                | 55.1                                | 54.8                               | 54.6            | 12.1                    | 932.8             |
| 50,0°        | 48.3                                | 47.1                                | 46.0                                | 45.5                                | 45.1                               | 44.8            | 10.3                    | 943.0             |
| 52,5°        | 40.2                                | 39.3                                | 38.3                                | 37.7                                | 37.1                               | 36.8            | 8.7                     | 951.8             |
| 55,0°        | 34.1                                | 33.4                                | 32.5                                | 31.7                                | 31.0                               | 30.7            | 7.5                     | 959.3             |
| 57,5°        | 29.3                                | 29.0                                | 28.2                                | 27.0                                | 26.3                               | 26.1            | 6.6                     | 965.9             |
| 60,0°        | 25.7                                | 25.8                                | 24.8                                | 23.5                                | 22.8                               | 22.6            | 5.8                     | 971.6             |
| 62,5°        | 22.4                                | 22.9                                | 21.8                                | 20.7                                | 20.1                               | 19.9            | 5.1                     | 976.8             |
| 65,0°        | 19.6                                | 20.2                                | 19.7                                | 18.4                                | 17.9                               | 17.8            | 4.6                     | 981.4             |
| 67,5°        | 16.7                                | 17.6                                | 17.8                                | 16.4                                | 16.0                               | 16.0            | 4.1                     | 985.5             |
| 70,0°        | 14.1                                | 15.0                                | 15.6                                | 14.4                                | 14.4                               | 14.6            | 3.6                     | 989.1             |
| 72,5°        | 11.7                                | 12.4                                | 13.4                                | 12.9                                | 13.2                               | 13.4            | 3.1                     | 992.3             |
| 75,0°        | 9.5                                 | 10.4                                | 12.0                                | 11.4                                | 11.8                               | 11.9            | 2.7                     | 995.0             |
| 77,5°        | 7.2                                 | 8.1                                 | 9.6                                 | 9.6                                 | 10.0                               | 10.2            | 2.1                     | 997.1             |
| 80,0°        | 5.1                                 | 5.7                                 | 7.0                                 | 7.5                                 | 7.6                                | 8.0             | 1.5                     | 998.6             |
| 82,5°        | 3.0                                 | 3.6                                 | 4.5                                 | 5.0                                 | 5.3                                | 5.6             | 0.9                     | 999.5             |
| 85,0°        | 1.2                                 | 1.7                                 | 2.3                                 | 2.7                                 | 3.1                                | 3.3             | 0.4                     | 999.9             |
| 87,5°        | 0.4                                 | 0.4                                 | 0.5                                 | 0.6                                 | 0.8                                | 0.9             | 0.1                     | 1000.1            |

Photometric test report

| Family<br>Highbay 21         |     |                     | Order number: 52HN11DA4HDA<br>EAN: 4069025254740 |      |      |      |                    |      |      | LP number<br>59724_6 |      |
|------------------------------|-----|---------------------|--------------------------------------------------|------|------|------|--------------------|------|------|----------------------|------|
| UGR-Table                    |     |                     | Standard room                                    |      |      |      |                    |      |      | siteco               |      |
| Reflection factor of ceiling | 0.7 | 0.7                 | 0.5                                              | 0.5  | 0.3  | 0.7  | 0.7                | 0.5  | 0.5  | 0.3                  |      |
| Reflection factor of walls   | 0.5 | 0.3                 | 0.5                                              | 0.3  | 0.3  | 0.5  | 0.3                | 0.5  | 0.3  | 0.3                  |      |
| Reflection factor of floor   | 0.2 | 0.2                 | 0.2                                              | 0.2  | 0.2  | 0.2  | 0.2                | 0.2  | 0.2  | 0.2                  |      |
| Room dimensions              |     | View crosswise (C0) |                                                  |      |      |      | View endwise (C90) |      |      |                      |      |
| x                            | y   |                     |                                                  |      |      |      |                    |      |      |                      |      |
| 2H                           | 2H  | 17.4                | 18.6                                             | 17.8 | 18.9 | 19.2 | 16.9               | 18.0 | 17.2 | 18.3                 | 18.7 |
|                              | 3H  | 17.9                | 18.8                                             | 18.2 | 19.2 | 19.5 | 17.5               | 18.5 | 17.9 | 18.9                 | 19.2 |
|                              | 4H  | 18.1                | 19.0                                             | 18.5 | 19.3 | 19.7 | 18.0               | 18.9 | 18.4 | 19.2                 | 19.6 |
|                              | 6H  | 18.3                | 19.1                                             | 18.7 | 19.4 | 19.8 | 18.4               | 19.2 | 18.8 | 19.5                 | 19.9 |
|                              | 8H  | 18.4                | 19.0                                             | 18.8 | 19.4 | 19.8 | 18.6               | 19.3 | 19.0 | 19.7                 | 20.1 |
|                              | 12H | 18.3                | 18.9                                             | 18.8 | 19.3 | 19.7 | 18.7               | 19.3 | 19.1 | 19.7                 | 20.1 |
| 4H                           | 2H  | 17.6                | 18.5                                             | 18.0 | 18.9 | 19.2 | 17.1               | 18.0 | 17.5 | 18.4                 | 18.8 |
|                              | 3H  | 18.2                | 18.9                                             | 18.6 | 19.3 | 19.8 | 18.0               | 18.7 | 18.4 | 19.1                 | 19.5 |
|                              | 4H  | 18.5                | 19.2                                             | 18.9 | 19.6 | 20.0 | 18.5               | 19.2 | 19.0 | 19.6                 | 20.0 |
|                              | 6H  | 18.7                | 19.3                                             | 19.2 | 19.7 | 20.2 | 19.1               | 19.6 | 19.5 | 20.0                 | 20.5 |
|                              | 8H  | 18.8                | 19.2                                             | 19.2 | 19.7 | 20.2 | 19.2               | 19.7 | 19.7 | 20.2                 | 20.7 |
|                              | 12H | 18.8                | 19.2                                             | 19.3 | 19.6 | 20.1 | 19.4               | 19.8 | 19.9 | 20.3                 | 20.8 |
| 8H                           | 4H  | 18.6                | 19.1                                             | 19.1 | 19.5 | 20.0 | 18.6               | 19.1 | 19.1 | 19.6                 | 20.0 |
|                              | 6H  | 18.9                | 19.3                                             | 19.4 | 19.7 | 20.3 | 19.2               | 19.6 | 19.7 | 20.1                 | 20.6 |
|                              | 8H  | 18.9                | 19.2                                             | 19.4 | 19.7 | 20.3 | 19.4               | 19.8 | 20.0 | 20.3                 | 20.8 |
|                              | 12H | 18.9                | 19.2                                             | 19.4 | 19.7 | 20.2 | 19.6               | 19.9 | 20.2 | 20.4                 | 21.0 |
| 12H                          | 4H  | 18.6                | 19.0                                             | 19.1 | 19.5 | 20.0 | 18.6               | 19.0 | 19.1 | 19.5                 | 20.0 |
|                              | 6H  | 18.9                | 19.2                                             | 19.4 | 19.7 | 20.2 | 19.2               | 19.5 | 19.7 | 20.0                 | 20.6 |
|                              | 8H  | 18.9                | 19.2                                             | 19.4 | 19.7 | 20.2 | 19.5               | 19.7 | 20.0 | 20.2                 | 20.8 |

|                 |                |                                     |                                     |                                     |                                     |                                     |                                     |                                     |                                     |                 |
|-----------------|----------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------------|
| Luminance table |                | Max. for $\gamma \geq 65^\circ$     |                                     | Photometric dimensions in mm:       |                                     |                                     |                                     | L = 426<br>B = 264                  |                                     |                 |
| C-planes        | 0,0°<br>180,0° | 10,0°<br>170,0°<br>190,0°<br>350,0° | 20,0°<br>160,0°<br>200,0°<br>340,0° | 30,0°<br>150,0°<br>210,0°<br>330,0° | 40,0°<br>140,0°<br>220,0°<br>320,0° | 50,0°<br>130,0°<br>230,0°<br>310,0° | 60,0°<br>120,0°<br>240,0°<br>300,0° | 70,0°<br>110,0°<br>250,0°<br>290,0° | 80,0°<br>100,0°<br>260,0°<br>280,0° | 90,0°<br>270,0° |
|                 |                | Luminance in cd/m²                  |                                     |                                     |                                     |                                     |                                     |                                     |                                     |                 |
| $\gamma$        |                |                                     |                                     |                                     |                                     |                                     |                                     |                                     |                                     |                 |
| 45,0°           |                | 19446.3                             | 18984.0                             | 18958.6                             | 18447.4                             | 17653.6                             | 17127.2                             | 16686.0                             | 16243.1                             | 16012.8         |
| 50,0°           |                | 13785.4                             | 13555.1                             | 13614.8                             | 13401.6                             | 13040.9                             | 12786.8                             | 12380.8                             | 12027.2                             | 11880.1         |
| 55,0°           |                | 9985.9                              | 9890.7                              | 10191.5                             | 10323.1                             | 10277.2                             | 10096.7                             | 9846.0                              | 9495.7                              | 9175.2          |
| 60,0°           |                | 7544.7                              | 7592.6                              | 8137.8                              | 8733.3                              | 8678.7                              | 8662.3                              | 8722.2                              | 8257.5                              | 7769.3          |
| 65,0°           |                | 6811.0                              | 6754.3                              | 7137.5                              | 7897.1                              | 7614.3                              | 7748.8                              | 8080.6                              | 7738.2                              | 7218.4          |
| 70,0°           |                | 6316.7                              | 6179.4                              | 6673.2                              | 7048.8                              | 6797.9                              | 6886.9                              | 7413.8                              | 7600.2                              | 7100.6          |
| 75,0°           |                | 6314.0                              | 5975.3                              | 6190.2                              | 6077.1                              | 5931.6                              | 6135.0                              | 6763.1                              | 7888.4                              | 7654.2          |
| 80,0°           |                | 4766.3                              | 4585.5                              | 4714.8                              | 4419.9                              | 4459.9                              | 4791.1                              | 5579.6                              | 7076.6                              | 7313.2          |
| 85,0°           |                | 1566.2                              | 1526.2                              | 1560.4                              | 1583.7                              | 1751.2                              | 2124.5                              | 3248.8                              | 4683.6                              | 5770.6          |

Photometric test report

Family  
Highbay 21

Order number: 52HN11DA4HDA  
EAN: 4069025254740

LP number  
59724\_6

Luminance values in cd/m²

γ 65°


γ 70°

γ 75°

γ 80°

γ 85°

siteco



Photometric test report

|                                                                        |                                                                |                                                                                     |
|------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Family</b><br><b>Highbay 21</b>                                     | <b>Order number: 52HN11DA4HDA</b><br><b>EAN: 4069025254740</b> | <b>LP number</b><br><b>59724_6</b>                                                  |
| <b>Dimming levels table</b> <div>environmental temperature: 25°C</div> |                                                                |  |

| Luminous flux<br>% | Dimming level<br>linear | Dimming level<br>logarithmic | Luminous flux<br>[lm] | Power consumption<br>[W] |
|--------------------|-------------------------|------------------------------|-----------------------|--------------------------|
| 100                | 254                     | 254                          | 19000                 | 98.9                     |
| 95                 | 241                     | 252                          | 18066                 | 93.8                     |
| 90                 | 228                     | 250                          | 17132                 | 88.7                     |
| 85                 | 214                     | 248                          | 16116                 | 83.2                     |
| 80                 | 201                     | 245                          | 15171                 | 78.1                     |
| 75                 | 188                     | 243                          | 14217                 | 73.1                     |
| 70                 | 175                     | 240                          | 13264                 | 68.1                     |
| 65                 | 163                     | 238                          | 12376                 | 63.4                     |
| 60                 | 150                     | 235                          | 11412                 | 58.4                     |
| 55                 | 137                     | 231                          | 10438                 | 53.3                     |
| 50                 | 124                     | 228                          | 9465                  | 48.3                     |
| 45                 | 112                     | 224                          | 8563                  | 43.7                     |
| 40                 | 99                      | 219                          | 7581                  | 38.8                     |
| 35                 | 87                      | 215                          | 6670                  | 34.2                     |
| 30                 | 74                      | 209                          | 5679                  | 29.4                     |
| 25                 | 62                      | 202                          | 4759                  | 24.9                     |
| 20                 | 50                      | 194                          | 3836                  | 20.4                     |
| 15                 | 37                      | 183                          | 2829                  | 15.5                     |
| 10                 | 25                      | 169                          | 1899                  | 11.0                     |
| 5                  | 13                      | 145                          | 966                   | 6.3                      |
| 2                  | 5                       | 110                          | 342                   | 3.1                      |