


Order No.: 5EA1SLPOW01 | **GTIN (EAN):** 4058352572160


Product description: SConGr,pwr.suppl



SITECO Connect Group, power supply, installation type: DIN rail mounting, mains connection: 230V, AC, housing, of plastic, grey, 2 part units, length: 53mm, width: 36mm, height: 90mm, power supply, protection rating (complete): IP20, insulation class (complete): insulation class II (safety insulation), certification: CE, permissible operating ambient temperature for outdoor applications: -20..+70°C, permissible storage temperature: -20..+85°C, packaging unit: 1 piece

IP 20  

Wt. (kg): 0.1
GTIN (EAN): 4058352572160



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5EA1SLPOW01 | **GTIN (EAN):** 4058352572160

Detailed technical description: [SConGr,pwr.suppl](#)



Key data

- System family: SITECO Connect Group
- Product type: power supply
- Product name: SITECO Connect Group
- Order No.: 5EA1SLPOW01

Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class II (safety insulation)
- Temperature range (operation): - 20...+70°C
- Certification, designation: CE

Material, Colour

- housing: plastic, grey, 2 part units
- Colour specification: grey

Mounting

- Mounting method, mounting location: DIN rail mounting, in a switching cabinet

Electrical connection


- Nominal voltage: 230V, AC

Dimensions, Weight

- Length: 53mm
- Width: 36mm
- Height: 90mm
- Weight: 0.1kg

Order No.: 5EA1SLPOW01 | **GTIN (EAN):** 4058352572160

Dimensions: SConGr,pwr.suppl



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -