

Order No.: 5LZ930100 | GTIN (EAN): 4058352385906

Product description: SCon11,basepackS/D,swpreinstTC3




SITECO Connect 11base package S/D, 1..15 DALI lines, DIN rail PC, central control - connection to lighting or building management, installation type: recessed, installation location: in an electrical distributor, protection rating (complete): IP20, insulation class (complete): insulation class I (protective earthing), certification: CE, voltage: 230V, voltage type: AC, 1 x DALI-2, software: Lighting Solution, packaging unit: 1 piece

IP 20 ⊕ (∈

Wt. (kg): 0.6

GTIN (EAN): 4058352385906





Order No.: 5LZ930100 | GTIN (EAN): 4058352385906

Detailed technical description: SCon11,basepackS/D,swpreinstTC3



Key data

- System family: Siteco Connect 11

- Product type: control unit

- Product name: SITECO Connect 11

- Order No.: 5LZ930100

Lighting technology | Lamps | Control gear

Component 1

Operating device:

- Control: DALI 2

Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE

Material, Colour

- housing: plastic, grey
- Colour specification: grey

Mounting

 Mounting method, mounting location: recessed, in an electrical distributor

Electrical connection

- Nominal voltage: 230V, AC

Dimensions, Weight

- Weight: 0.6kg

Outputs

1x DALI-2

- Protocol: according to current DALI-2 standard
- Feature: integrated power supply (250mA per DALI line)

Software

- Software: Lighting Solution
- Supplement: software pre-installed, TC3 licences (platform 30) TC3 PLC, TC3 PLC HMI, TC3 PLC HMI Web, TC3 XLS



Order No.: 5LZ930100 | GTIN (EAN): 4058352385906

Dimensions: SCon11,basepackS/D,swpreinstTC3

