

Order No.: 5EA40M000201 | GTIN (EAN): 4058352408490

Product description: SConWi, Motion2PIR





SITECO Connect WirelessMotion 2PIR, mandatory accessories: SmartPlug 5EA3AM000001 or 5EA3CM000001 with Siteco Connect Wireless Motion Stick 5EAU0H000001, installation type: screw fastening, installation location: to the luminaire, of PBT, voltage: 24V, voltage type: DC, D4i, by daylight, by movement, 2 PIR movement sensors, daylight sensor, 2 x movement sensor, 1 x brightness sensor, protection rating (complete): IP66, certification: CE, UKCA, packaging unit: 1 piece

IP 66 IK 08 (€

Wt. (kg): 0.1

GTIN (EAN): 4058352408490



Order No.: 5EA40M000201 | GTIN (EAN): 4058352408490

Detailed technical description: SConWi, Motion 2PIR



#### Key data

Product type: sensor

 Product name: SITECO Connect Wireless

Order No.: 5EA40M000201

# Lighting technology | Lamps | Control gear

### Component 1

#### Operating device:

Control: D4i, mandatory accessories:
 SmartPlug 5EA3AM000001 or
 5EA3CM000001 with Siteco Connect
 Wireless Motion Stick 5EAU0H000001

#### Certificates, Standards

- Protection rating: IP66
- Impact resistance: IK08
- Temperature range (operation): -25..+50°C
- Standard: according to Zhaga book 18
- Certification, designation: CE, UKCA

#### Material, Colour

- Colour specification: grey

## Mounting

- Mounting method, mounting location: screw fastening, to the luminaire
- Mounting height: 4..8m

#### **Electrical connection**

Nominal voltage: 24V, DC

## Dimensions, Weight

Diameter: 46mmHeight: 57mmWeight: 0.1kg

 $5.0 \, \text{m}$ 21.5 m 10.0 m **SITE** 6.0 m 7.0 m 26.0 m 12.0 m 30.5 m 14.0 m

Order No.: 5EA40M000201 | GTIN (EAN): 4058392408490
Dimensions: SConWi, Motion2PIR 16.0 m