

Order No.: 5EA40RC01 | **GTIN (EAN):** 4058352493618

Product description: SConWi,SmartPlugMotionRadar



SITECO Connect WirelessSmart Plug Motion Radar, Smart Interface below, installation type: screw fastening, installation location: to the luminaire, of plastic, voltage: 24V, voltage type: DC, 2.4GHz, local mesh radio network, D4i, local setting and operation with USB stick, by movement, manual, by time, by timer, by weekday, via API, optionally via radio push button, 2 radar movement sensors, radar movement sensor, radio, 2.4GHz, protection rating (complete): IP66, certification: CE, packaging unit: 1 piece

IP 66 IK 09 CE

Wt. (kg): 0.1
GTIN (EAN): 4058352493618

Order No.: 5EA40RC01 | GTIN (EAN): 4058352493618

Detailed technical description: SConWi,SmartPlugMotionRadar



Key data

- Product type: sensor
- Product name: SITECO Connect Wireless
- Order No.: 5EA40RC01

Lighting technology | Lamps | Control gear

Component 1

Operating device:

- Control: D4i, Smart Interface below

Certificates, Standards

- Protection rating: IP66
- Impact resistance: IK09
- Temperature range (operation): -20..+60°C
- Standard: according to Zhaga book 18
- Certification, designation: CE

Material, Colour

- housing: plastic, transparent, colour-backed, black
- Colour specification: black

Mounting

- Mounting method, mounting location: screw fastening, to the luminaire
- Mounting height: 3..8m

Electrical connection

- Nominal voltage: 24V, DC

Dimensions, Weight

- Diameter: 80mm
- Height: 63mm
- Weight: 0.1kg

Inputs

radar movement sensor

- Detection range: max. 70x20m

Mounting height 5m	X axis	Y axis
Vehicles	70.0 m	15.0 m
People	25.0 m	10.0 m

Dimensions: SConWi, SmartPlugMotionRadar