


Order No.: 5NW13991KB | GTIN (EAN): 4039806449627

Product description: SMI,900,fresn-refl100,PMMA,alu,spec



secondary reflector, for Siteco Mirrortec® Indoor, ball-and-socket joint pendant suspension, housing, circular, of aluminium, coated, metallic grey (RAL 9006), fresnel reflector 100, of PMMA, aluminized, highly specular, light point resolution, fresnel structure, diameter: 900 mm

Wt. (kg): 9.6  
GTIN (EAN): 4039806449627



Order No.: 5NW13991KB | GTIN (EAN): 4039806449627

Detailed technical description: SMI,900,fresn-refl100,PMMA,alu,spec



#### Key data

- Product type: secondary reflector
- Product name: Siteco Mirrortec® Indoor
- Order No.: 5NW13991KB

#### Lighting technology | Lamps | Control gear

#### Component 2

#### Lighting technology:

- Light control: fresnel reflector 100 of PMMA, aluminized, highly specular
- Glare reduction: light point resolution, fresnel structure
- Beam angle: narrow distribution
- Symmetry: symmetric distribution

#### Material, Colour

- ball-and-socket joint pendant suspension: aluminium, coated, metallic grey (RAL 9006), circular
- housing: aluminium, coated, metallic grey (RAL 9006), circular
- Colour specification: metallic grey (RAL 9006)

#### Mounting



- Mounting method, mounting location: suspended mounting, to the ceiling, to the wall
- Arrangement: single arrangement

#### Dimensions, Weight

- Diameter: 900mm
- Weight: 9.6kg

Order No.: 5NW13991KB | GTIN (EAN): 4039806449627

Dimensions: SMI,900,fresn-refl100,PMMA,alu,spec



$\varnothing 919$

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 24.02.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -