



Order No.: 5NY15621XA08 | GTIN (EAN): 4039806214577

Product description: LgBell,curv.m-extØ76,1arm,coat,DB702S



Large Bell, curved mast extension, curved mast extension, offset, of steel, galvanised, coated, Siteco® metallic grey (DB 702S), 1-arm, with bayonet catch, diameter: 76mm, height: 1040mm, spigot size: 76mm (post-top), packaging unit: 1 piece

Wt. (kg): 10.3  
GTIN (EAN): 4039806214577




It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 07.07.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5NY15621XA08 | GTIN (EAN): 4039806214577

Detailed technical description: LgBell,curv.m-extØ76,1arm,coat,DB702S



#### Key data

- Product type: curved mast extension
- Product name: Large Bell
- Order No.: 5NY15621XA08

#### Material, Colour


- curved mast extension, offset: steel, galvanised, coated, Siteco® metallic grey (DB 702S), with bayonet catch
- Colour specification: Siteco® metallic grey (DB 702S)

#### Dimensions, Weight

- Diameter: 76mm
- Height: 1040mm
- Weight: 10.3kg
- Mast spigot: spigot size: 76mm

Order No.: 5NY15621XA08 | GTIN (EAN): 4039806214577

Dimensions: LgBell,curv.m-extØ76,1arm,coat,DB702S



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.com](http://www.siteco.com))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 07.07.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -