



Order No.: 5NY76901XA31 | GTIN (EAN): 4058352144510

Product description: cross-arm,1f,Ø89-108,galv.st



Floodlight FL 20 maxi
Floodlight FL 20 midi, mounting components group,
cross-arm for 1 floodlight, of steel, galvanised, type 1: post-top, length:
300mm, width: 130mm, height: 250mm, spigot size: 89..108mm, packaging
unit: 1 piece

Wt. (kg): 4.5
GTIN (EAN): 4058352144510




It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 15.12.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5NY76901XA31 | GTIN (EAN): 4058352144510

Detailed technical description: cross-arm,1f,Ø89-108,galv.st



Key data

- Product type: mounting components group
- Product name: Floodlight FL 20 maxi, Floodlight FL 20 midi
- Order No.: 5NY76901XA31

Material, Colour


- cross-arm for 1 floodlight: steel, galvanised
- Quantity: 1 piece

Dimensions, Weight

- Length: 300mm
- Width: 130mm
- Height: 250mm
- Weight: 4.5kg
- Mast spigot: spigot size: 89..108mm

Order No.: 5NY76901XA31 | GTIN (EAN): 4058352144510

Dimensions: cross-arm, 1f, Ø89-108, galv.st



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 15.12.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -