

Order No.: 5TR9092AQ | **GTIN (EAN):** 4039806577337


Product description: Mod-cent.feed-I/O,L1495,5su,20x2.5²,IP20



Modario®, additional feed, wiring, with 20x 2-fold terminal 1.5..2.5mm², for infeed, through-wiring: 10x 2.5mm², trunking rail element, of steel, coated, pure white, 5x system unit, length: 1.495mm, width: 58mm, height: 43mm, protection rating (complete): for IP20 protection rating, insulation class (complete): insulation class I (protective earthing), certification: CE, UKCA, packaging unit: 1 piece



Wt. (kg): 2.5
GTIN (EAN): 4039806577337



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 12.05.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5TR9092AQ | GTIN (EAN): 4039806577337

Detailed technical description: Mod-cent.feed-I/O,L1495,5su,20x2.5²,IP20



Key data

- Product type: additional feed
- Product name: Modario®
- Order No.: 5TR9092AQ

Certificates, Standards

- Protection rating: for IP20 protection rating
- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE, UKCA

Material, Colour

- trunking rail element: steel, coated, pure white, 5x system unit
- Colour specification: pure white

Electrical connection


- Connection: 20x 2-fold terminal 1.5..2.5mm², for infeed
- Through-wiring: 10x 2.5mm²

Dimensions, Weight

- System units: 5x SE
- Length: 1495mm
- Width: 58mm
- Height: 43mm
- Weight: 2.5kg

Order No.: 5TR9092AQ | **GTIN (EAN):** 4039806577337

Dimensions: Mod-cent.feed-I/O,L1495,5su,20x2.5²,IP20



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 12.05.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -