

Order No.: 5TS9092AQ | GTIN (EAN): 4039806858191 Product description: trunk.rail/add.feed,galv.st,coat,wh



housing accessories, for Modario[®] IP64, trunking rail, additional feed-in/-out, of steel, galvanised, coated, pure white, 5x system unit, length: 1.495 mm, width: 58 mm, height: 43mm, through-wiring: 10x 2.5mm², protection rating (complete): for IP64 protection rating, insulation class (complete): insulation class I (protective earthing), certification: CE, UKCA, packaging unit: 1 piece

⊕ (€

Wt. (kg): 2.3 GTIN (EAN): 4039806858191



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

ѕітесо

Order No.: 5TS9092AQ | GTIN (EAN): 4039806858191 Detailed technical description: trunk.rail/add.feed,galv.st,coat,wh



Key data

- Product type: housing accessories
- Product name: Modario® IP64
- Order No.: 5TS9092AQ

Certificates, Standards

- Protection rating: for IP64 protection rating
- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE, UKCA

Material, Colour

- trunking rail, additional feed-in/-out: steel, galvanised, coated, pure white, 5x system unit
- Colour specification: pure white

Mounting

- Supplement: for trunking rail

Electrical connection

- Through-wiring: 10x 2.5mm²

Dimensions, Weight

- System units: 5x SE
- Length: 1495mm
- Width: 58mm
- Height: 43mm
- Weight: 2.3kg

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -



Order No.: 5TS9092AQ | GTIN (EAN): 4039806858191 Dimensions: trunk.rail/add.feed,galv.st,coat,wh

1495

900

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -