

Order No.: 59US1HXMPR1A | GTIN (EAN): 4058352363850

Product description: SConSHead, SensHdPR1M, lokCtrl, PIR-sens










Siteco Connect Sensor-HeadSensor-Head PR1-M, master, local control, switchable, dimmable, installation type: slip-in mounting, installation location: on interface, of plastic, protection rating (complete): IP54, certification: CE, VDE, 1 x PIR movement sensor, 1 x light sensor, 1 x IR receiver, packaging unit: 1 piece



Wt. (kg): 0.1

GTIN (EAN): 4058352363850





Order No.: 59US1HXMPR1A | GTIN (EAN): 4058352363850

Detailed technical description: SConSHead, SensHdPR1M, lokCtrl, PIR-sens



Key data

System family: SITECO Connect

- Product type: sensor

 Product name: Siteco Connect Sensor-Head

Order No.: 59US1HXMPR1A

Certificates, Standards

- Protection rating: IP54

- Temperature range (operation): -

20..+50°C

- Certification, designation: CE, VDE

Material, Colour

housing: plastic, white

- Colour specification: white

Mounting

 Mounting method, mounting location: slip-in mounting, on interface

- Mounting height: 2.5..5m

Dimensions, Weight

Length: 95mmWidth: 95mmHeight: 65mmWeight: 0.1kg

Inputs

1x PIR movement sensor

- Connection: system connector

Detection range: max. 23x6m

 Option: 5 detection levels, 280 switching zones

 Feature: detection range can be limited with shield, rectangular detection area


1x IR receiver


 Feature: IR receiver for programming with Smart Remote



Order No.: 59US1HXMPR1A | **GTIN (EAN):** 4058352363850

Dimensions: SConSHead,SensHdPR1M,lokCtrl,PIR-sens





Sensor Head PR1

Mh	R	Т
2,5m	14 x 4m	20 x 4m
3,5m	14 x 4m	20 x 4m

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)
Tolerances related to thermal, electrical and photometric data according to IEC 62722
Issued 05.01.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -