

Order No.: 56TL1FAMA | GTIN (EAN): 4058352400524

Product description: LicIntbasemod




Licross® InterfaceInterface MS, master, local control - self-sufficient standalone sensors, switchable, installation location: to the Licross® trunking rail, of sheet steel, protection rating (complete): IP20, insulation class (complete): insulation class I (protective earthing), certification: CE, ENEC, VDE, UKCA, voltage: 230V, voltage type: AC, packaging unit: 1 piece

₩ IP 20 ⊕ (€

Wt. (kg): 0.5

GTIN (EAN): 4058352400524





Order No.: 56TL1FAMA | GTIN (EAN): 4058352400524

Detailed technical description: LicIntbasemod



Key data

- System family: SITECO Connect 31 Logistic On/Off
- Product type: base moduleProduct name: Licross® Interface
- Order No.: 56TL1FAMA

Lighting technology | Lamps | Control gear

Component 1

Lamps:

 Supplement: internal wiring halogenfree

Operating device:

- Control: ON/OFF, switchable

Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class I (protective earthing)
- Temperature range (operation): -20..+50°C
- Certification, designation: CE, ENEC, VDE, UKCA

Material, Colour

- trunking rail adapter set: sheet steel, coil coated, white
- Colour specification: white

Mounting

 Supplement: only suitable for use in indoor areas

Electrical connection

- Connection: plug, 4-pole, without phase selection
- Nominal voltage: 230V, 50Hz, AC

Dimensions, Weight

Length: 500mmWidth: 96mmHeight: 97mmWeight: 0.5kg



Order No.: 56TL1FAMA | GTIN (EAN): 4058352400524

Dimensions: LicIntbasemod

