

Order No.: GB82470MXSUMNM4WED | GTIN (EAN): Product description: MXL/ESA10SOL,LED,845,PMMA,3h,sp

LED 1.2

IP 40
Lamps: Wt. (kg):

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Siteco GmbH • Georg-Simon-Ohm-Str. 50 • 83301 Traunreut, Germany • Tel +49(8669)33-0 • Fax +49(8669)33-397 • eMail info@siteco.de • Internet www.siteco.com

siteco

Order No.: GB82470MXSUMNM4WED | GTIN (EAN): Detailed technical description: MXL/ESA10SOL, LED, 845, PMMA, 3h, sp



Key data

- Product type: signage/orientation luminaire
- Product name: MXL/ESA10
- Order No.: GB82470MXSUMNM4WED

Lighting technology | Lamps | Control gear

Component 1

Lighting technology:

- Cover: info panel

Lamps:

 Supplement: with self-test function, LED status display: green = system ok; red = failure

Operating device:

- Battery: LiFePO4
- Nominal operating time: 3h

Component 2

Certificates, Standards

- Protection rating: IP40
- Insulation class: insulation class II (safety insulation)
- Temperature range (operation): 0..+45°C
- Supplement: manual test and automatic self-test according to BS EN 62034

Material, Colour

- ceiling canopy: PC, traffic white (RAL 9016), cable entry from the rear or from above
- Colour specification: traffic white (RAL 9016)
- Cover: info panel of PMMA

Mounting

- Mounting method, mounting location: suspended mounting, to the ceiling, to the wall

Electrical connection

- Connection: terminal, 5-pole, max. 2.5mm²
- Nominal voltage: 220..240V, 50/60Hz

Dimensions, Weight

- Length: 330mm
- Width: 45mm
- Height: 265mm
- Weight: 1.2kg


Service life

- Rated service life: 50000h (L70/B50) at $AT = 25^{\circ}C$

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -



Order No.: GB82470MXSUMNM4WED | GTIN (EAN): Dimensions: MXL/ESA10SOL,LED,845,PMMA,3h,sp



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -