

Order No.: 5LZ904210A | **GTIN (EAN):** 4069025308863


Product description: SConmultisens,PIR-sens,surf



SITECO Connect, multi-sensor, installation type: surface-mounted, control gear: ON/OFF, mains connection: 220..240V, AC, 50/60Hz, rated input power: 0.9W, housing, housing, round, of plastic, white, diameter: 120mm, height: 25mm, multi-sensor PC14, local control - self-sufficient standalone sensors, equipment: master, switchable, protection rating (complete): IP20, insulation class (complete): insulation class II (safety insulation), certification: CE, UKCA, permissible operating ambient temperature: -20..+40°C, packaging unit: 1 piece

IP 20  

Wt. (kg): 0.1
GTIN (EAN): 4069025308863



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5LZ904210A | **GTIN (EAN):** 4069025308863

Detailed technical description: SConmultisens,PIR-sens,surf

Key data

- System family: Siteco Connect 31 Area ON/OFF
- Product type: multi-sensor
- Product name: SITECO Connect
- Order No.: 5LZ904210A

Lighting technology | Lamps | Control gear

Component 1

Lamps:

- Rated input power: 0.9W

Operating device:

- Control: ON/OFF, switchable

Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class II (safety insulation)
- Temperature range (operation): - 20..+40°C
- Certification, designation: CE, UKCA

Material, Colour

- housing: plastic, white, round
- housing: plastic, white, round
- Colour specification: white

Mounting

- Mounting method, mounting location: surface-mounted, to the ceiling
- Mounting height: 2.5..4m
- Supplement: only suitable for use in indoor areas

Electrical connection

- Nominal voltage: 220..240V, 50/60Hz, AC

Dimensions, Weight

- Diameter: 120mm
- Height: 25mm
- Weight: 0.1kg


Inputs

1x PIR movement sensor

- Feature: circular detection area

Order No.: 5LZ904210A | **GTIN (EAN):** 4069025308863

Dimensions: SConmultisens,PIR-sens,surf



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 09.04.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -