

Order No.: 5LZ980301A | GTIN (EAN): 4069025765659


Product description: SConWi,controller,wirel



SITECO Connect Wirelesscontroller, control unit, master, local control - self-sufficient standalone sensors, dimmable, installation type: recessed, installation location: in the ceiling, of plastic, voltage: 230V, 1 x push button input, 1 x DALI, 1 x Bluetooth interface, protection rating (complete): IP20, insulation class (complete): insulation class I (protective earthing), certification: CE, packaging unit: 1 piece

IP 20  

Wt. (kg): 0.1
GTIN (EAN): 4069025765659



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 23.05.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5LZ980301A | GTIN (EAN): 4069025765659

Detailed technical description: SConWi,controller,wirel

Key data

- System family: SITECO Connect Wireless
- Product type: control unit
- Product name: SITECO Connect Wireless
- Order No.: 5LZ980301A

Lighting technology | Lamps | Control gear

Component 1

Operating device:

- Control: Casambi, dimmable

Certificates, Standards

- Protection rating: IP20
- Insulation class: insulation class I (protective earthing)
- Temperature range (operation): -20..+70°C
- Certification, designation: CE

Material, Colour

- housing: plastic, white
- housing: plastic, white

Mounting

- Mounting method, mounting location: recessed, in the ceiling
- Supplement: only suitable for use in indoor areas

Electrical connection

- Nominal voltage: 230V, 50/60Hz

Dimensions, Weight

- Length: 208mm
- Width: 79mm
- Height: 30mm
- Weight: 0.1kg

Outputs

1x DALI


- System current: max. 50mA
- Feature: DALI, master function, broadcast addressing, max. 25 DALI ECGs

1x Bluetooth interface

- Feature: wireless networking

Order No.: 5LZ980301A | GTIN (EAN): 4069025765659

Dimensions: SConWi,controller,wirel



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 23.05.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -