

Lighting control SITECO Connect Wireless 11, 21, 31

Energy savings, nature conservation and safety in perfect harmony thanks to intelligent lighting control.

Intelligently expand, control and monitor city lighting:

TTTHE

with SITECO Connect Wireless



Why lighting control? Because everyone benefits!

Save energy. Reduce CO₂ consumption. Transparently monitor your installation. Increase safety for the general public. Do something good for nature and wildlife.

Time-based and situational lighting control with SITECO Connect Wireless provides towns and cities as well as companies with impressive usage options that ultimately result in one thing: **a lighting solution that benefits everyone.**



How can a control system benefit you financially? We'd be happy to find out for you. We will assess your installation on site and determine how much you can save. Register now for an energy-savings check: siteco.com/solutions/light-audit



What is the benefit of lighting control? **Significant savings!**


Dimming pays off. Also compared to switching off temporarily or in certain areas.

Dimming combines traffic and personal safety with high energy savings. By up to 66 % in the example given below. Dimming ensures the uniformity of your lighting. Also, obstacles and small or unlit road users are easier to detect and better protected.

A comparison based on the example of Streetlight 11 micro LED with 3,700 lumen, 3,000 Kelvin and Smart-Interface (5XC1A52T08DE).



9 reasons for lighting control with SITECO Connect Wireless.



0

Save energy

Systematic dimming and temporarily switching off luminaires where possible pays off in three ways: you save **valuable energy**, have total control of costs and increase the service life **of the luminaire**.

2

Protect nature and wild life

Dimming in the dark of night **reduces light pollution**. Nocturnal animals, particularly in parks and nature reserves, are less disturbed in their natural behavior.

3

Adapt the lighting


In locations with changing usage, e.g. town squares and marketplaces, the lighting can be **automatically dimmed up and down**, for example during events.

4

Protect the climate

Where there is little activity at night, e.g. on rural roads, lighting intensity can be selectively reduced. This has a direct impact on the **CO, balance**.

Intelligently expand, control and monitor city lighting: with SITECO Connect Wireless



6

Increase safety

Adjusted lighting levels increase safety in critical neighborhoods and streets. **Good visibility** is also required for rescue operations. Brighter means safer.

6

Reduce vandalism

Vandals can only remain undetected in the dark. **Motion sensors protect** municipal institutions, sports facilities and schoolyards.

7

Optimize operation

Central documentation, switching, monitoring and diagnosis of the system saves costs and enables the targeted planning of maintenance if required.

8

Apply for funding

Modern lighting control makes it easy to implement **environmental guidelines**. This is the necessary precondition when applying for **subsidies**.

9

Design for tourism

Sights and landmark architecture determine the character of a town or city. These attractions can be **automatically illuminated**, creating a unique atmosphere.

When does the future begin? **Decide for yourself.**

With us, you lay the foundation for a future-proof infrastructure. That's because SITECO outdoor luminaires offer standard connectivity for all control requirements thanks to Smart-Interface. They allow plug & play integration of sensors or help you to manage your power consumption and reduce costs with radio-based control solutions and demand-driven lighting concepts. SITECO Connect Wireless offers the right combination of options for every requirement.


When and to what extent you use these options for greater efficiency, connectivity and sustainability is entirely up to you. Either directly from installation, or upgrade flexibly when you feel the time is right.

Your light is ready.

From simple control of individual luminaires to fully networked systems.

- Maximum compatibility between Zhaga / D4i-certified luminaires from SITECO and the control system and sensors
- Maximum freedom of choice thanks to standardized interfaces (Zhaga Book 18 and D4i or NEMA)
- Maximum future reliability thanks to expansion options in case of later need
- Maximum flexibility in application from simple to fully networked
- Maximum convenience thanks to plug & play installation of radio control systems and sensors





How do you begin? Start off simply, upgrade flexibly.

via radio.

with one another.

100000 trexibility through upgrades and downgrades 100010 trexibility through upgrades and downgrades SITECO Connect Wireless 21: Several luminaires connected locally Several luminaires are connected Sattinge of

The luminaires in the network

communicate and synchronize

The luminaires are synchronously or

continuously switched or dimmed.


SITECO Connect Wireless 31: Single luminaire

Single luminaires are switched or dimmed with a local motion sensor.



Example: The motion sensor activates just one luminaire.





Example: The motion sensor also switches on neighboring luminaires via radio link.

e.g. motion sensor with integrated radio module

Configure and diagnose using web remote access

Example: The network of luminaires functions synchronously and is monitored remotely.

SITECO Connect Wireless 11: Several luminaires connected with remote access

The luminaires are connected via radio.


Settings can be defined from the office via remote access over the network and status messages sent automatically.

Existing inventory and workflow systems, such as LuxData by sixData, can be used as a master.

8

Light in motion makes a difference.


As if by magic, the light switches on and accompanies vehicles, cyclists and pedestrians. Whether running or pre-running light, motion sensors are the key. These dim or switch the lighting, exchange information via radio and regulate brightness in the traffic zone. This not only increases safety on the road, but also reduces costs and protects the environment.



Supports safety, environmental protection and cost efficiency.

Situational lighting: triple benefit.

SITECO Connect components for Smart-Interface.



Overview of components for Smart-Interface:

Smart Plugs

Control and radio networking of luminaires with Zhaga / D4i-compatible luminaire controllers. With remote access or as a purely local radio network. Lighting control depending on time of day, day of the week and daylight. Local storage of the switching and dimming calendar for reliable operation.

Extension of mobile communications term, 5 years	5EA1ES01
Smart Plug Cellular: Remote access for 5 years including radio clock and position detection	5EA3CM000001
Remote access for 5 years, for each Smart Plug Standard or Motion	5EA1ESP01
 Smart Plug Standard 	5EA3AM000001

Motion sensors

Lighting control depending on movement, daylight, day of the week and time of day. Autonomous or networked operation (swarm function). Multiple setting options for dimming level, follow-up time, up / down speed.

Radio motion sensor Low & High

Oval detection range, freely alignable, e.g. for paths and driveways. Radio controller (Smart Plug Standard or Cellular) integrated.

3	Smart Plug Motion Low: Mounting height below 6 m, detection range at 5 m height up to 8.80 m, at 6 m height up to 10 m	5EA40EL01
3	Smart Plug Motion High: Mounting height above 6 m, detection range at 6 m height up to 10 m, at 10 m height up to 17 m	5EA40EH01
3	Smart Plug Cellular Motion Low: Mounting height below 6m, detection range at 5m height up to 8.80m and at 6m height up to 10m	5EA40ELC01
3	Smart Plug Cellular Motion High: Mount- ing height above 6 m, detection range at 6 m height up to 10 m and at 10 m height up to 17 m	5EA40EHC01
	Motion Stick alignment lever	5EAU0H000001

Motion sensor Radar

Very wide detection range to the right and left of the luminaire, e.g. for roads. With and without radio controller (Smart Plug Standard).

4	Smart Plug Motion Radar: Detection range for trucks from 70 m, people from 25 m	5EA40RC01
4	Motion Radar: Detection range for trucks from 70 m, people from 25 m (can only be used together with Smart Plug Standard or Cellular)	5EA40RS01
	Accessories: Motion Radar RF Stick for customizing advanced settings	5EA40RF01

Motion sensor Easy

Preset PIR motion sensor, ON / OFF at 30 lux, idle state 20 %, when movement detected 100 % for a minimum of 2 min. can be networked as an option, large detection range to the right and left of the luminaire, can be limited with enclosed cap, e.g. for paths.

6	Motion Easy: Mounting height from 5 to 8 m,	5EA40TE01
	detection range at 5 m height up to $30 \times 6 \text{ m}$	

Motion sensor Low & High

PIR motion sensor with circular detection range, can be limited with enclosed cap, e.g. for surfaces.

6	Motion Low: Mounting height below 4.60 m; detection range at 2.40 m height up to 6 m	5EA40LL01
6	Motion High: Mounting height above 4.60m; detection range at 4.60m height up to 12m, at 8m height up to 24m and at 12m height	5EA40LH01

up to 30 m

PIR motion sensor with long detection range to the right and left of the luminaire, e.g. for residential streets.

0	Motion 2PIR: Detection range at 4 m height	5EA40M000201
	up to 17 m and at 8 m height up to 35 m	
	(can only be used together with Smart Plug	
	Standard or Cellular)	

Mast boxes

Mast box for the control and networking of DALI luminaires without Smart-Interface. With remote access (for use with Smart Plug Cellular as an accessory) or as a purely local radio network. Lighting control depending on time of day, day of the week and motion (Motion version). Local storage of the switching and dimming calendar for reliable operation.

8 Mast Box Standard	5EA3BS01
8 Mast Box GPS	5EA3BG01
8 Mast Box Motion Low: Mo below 6m, detection rang to 8m, at 6m height up to	e at 5 m height up
8 Mast Box Motion High: Mast Box Motion High: Mast Box 6 m, detection rang to 10 m and at 10 m height	e at 6 m height up
Mast Box Motion Radar: I trucks from 70 m, people	

Radio pushbutton

Radio pushbutton for individual lighting scenes, e.g. manual switching for rescue operations.

9 Button	5EA30A000D01

Mounting away from the luminaire

Zhaga interface for placing additional motion sensors at inputs and outputs, for setting repeater or light sensor locations.

🔟 Smart Plug Box	5EA3BH01
------------------	----------

Setting and operation

Radio USB stick with software

For setting and checking lighting control devices on site.


Configurator software with USB stick	5EAU0A000001
1 GPS USB stick	5EAU0G000001

Web application for Smart Plugs Cellular

Remote set-up, management and monitoring from up to 120 adjacent Smart Plugs with Smart Plug Cellular. Simply by adding 5EA1ESP01 to every Plug Standard or Smart Plug Motion for 5 years of service life in each case.

B Smart Plug remote access 5EA1ESP01

SITECO Connect Group control for the control cabinet.



For centrally switching and dimming lighting or for modernizing ripple control systems: SITECO Connect is the innovative and powerful lighting control solution for installation in control cabinets.

Radio group control / radio ripple control for control cabinets

- 3 relay outputs for connection, for example, to contactor or control wire
- Local access via radio USB stick and additionally remote access via mobile radio
- 5 years mobile radio usage included
- Automatic switching depending on time of day, day of the week and Astro clock
- Radio-controlled integration of motion sensors, daylight sensors, additional Group Control devices and Smart Plugs
- RS485 interface for connecting a Smart Meter
- Radio clock, Astro clock and GPS
- · Very simple installation

Group Control with integrated antenna	5EA1ECL01
Group Control with external antenna	5EA1ECL02
Accessories:	
3-in-1 puck antenna for mobile radio, mesh and GPS with 0.5 m cable	5EA1EAT01
3-in-1 puck antenna for mobile radio, mesh and GPS with 5m cable	5EA1EAT02
Unlimited extension of remote access runtime by 5 years in each case	5EA1ES01
Smart Meter / electricity meter	5EA1EM02
Smart Plug Box & Smart Plug Cellular as radio-controlled twilight switches	5EA3BH01 & 5EA3CM000001
Multi Sensor / radio weather station	5EA1EW01

Commissioning and configuration of Smart-Interface and Group Control.

5EA0DEA01

Services

SITECO is happy to assist you with the planning and commissioning of your individual SITECO Connect system. The following services support you during set-up and operation.

Training: Software and system training for up to 3 participants, 1.5 hours, via video conference or on-site.

Training	5EA0DES01
----------	-----------

System configuration: Basic configuration per system or construction stage, remotely or on-site.

System set-up

End device configuration: Configuration per end device, remotely or on-site.

5EA0DEE01

5EA0DER01

On-site service: On-site support from the SITECO service team.

Per kilometer driven

Device configuration

incl. travel time, costs, expenses and hotel if applicable

13


Ready for the next step? Lighting control as part of digital operational management.

Control, monitor and manage SITECO Connect via luxData.

The future means not only intelligent luminaires and control systems, but smart operational management as well. Forget about stacks of paper and manual processes. How about managing everything centrally instead? Manage, maintain and service. Using a single interface.

Yet digital operational management with luxData by sixData can do even more: it allows a number of telemanagement systems or lighting controls to be operated. In addition, luxData.Control also shows the status and measured values of the luminaire controller, which are sent by the different control systems. This means you only need to operate one software solution and save time on training and using interfaces. This is extremely practical if you are managing several control systems in parallel.

luxData by sixData can ...



Lighting control **in practice.**


The roundabout that thinks for **itself**.

Nature conservation and safety ideally combined.



Roundabout in the community of Aschbach, Austria Streetlight SL 21 with SITECO Connect 21 including radio-networked motion sensors

- Reduction of light pollution in nature
- High safety for road users with reduced energy consumption
- In an idle state, without traffic: 15 % lighting level
- Detection of vehicles at a distance of 70 to 100 m: increase to 100 % lighting level
- Small animal filter blocks out detection of birds, squirrels, etc.



Safety for road users. And for wildlife too.

Protection of wildlife and road safety cleverly combined.

 $(The project \rightarrow)$ Our solution \rightarrow

"Donauradweg" cycle path in Ulm, Germany Streetlight SL 21 with SITECO Connect 11 including radio-networked motion sensors

0000

- Maximum dimming in idle state without cyclists / runners
- Increase in lighting level when motion is detected
- · Running light that precisely follows the position of the cyclist / runner
- Focus on the need for safety, especially of female runners in the evening hours
- Reduction of light pollution and minimal disturbance of nocturnal flora and fauna
- · Switching/dimming scenarios can be adjusted individually at any time

Control station car parks and P&R car parks through **motion activation**.


Significant energy savings with the latest lighting technology in new residential areas.



Community of Merklingen, Germany

Streetlight SL 11 luminaires with SITECO Connect 11 including radio-networked motion sensors

- Fixed and remotely adjustable night-time power reduction
- Increase in lighting level when motion is detected
- Radio-networked luminaires for switching and dimming in groups
- Remote maintenance and central access to all luminaires in new residential areas
- Fine-tuning on demand: continual monitoring and optimization of lighting as regards energy savings, traffic safety, light pollution and environmental protection




Restful nights and safety for tired truck drivers.

Rest and safety zones harmoniously combined.



Industrial estate in Berlin-Schönefeld, Germany Streetlight SL 21 with Smart-Interface and SITECO Connect 11 including radar and PIR motion sensor

- Demand-driven light with radio-networked motion sensors for commercial areas
 with waiting and rest zones for truck drivers
- High sense of security without dark corners
- At the same time, optimal conditions for truck drivers to rest and sleep with dimmed light
- Individual adaptation of switching and dimming values by the customer
- Monitoring via email and notifications




Motion-activated control of street blocks. Ensuring personal and traffic safety.

Keeping; all energy-saving options open.




Community of Steinheim am Albuch, Germany Streetlight SL 11 with SITECO Connect 21 including radio-networked motion sensors

- Demand-driven lighting for the entire district with all road types
- Individually programmed night-time power reduction with 20 to 30 % background lighting
- Increase in lighting level when motion is detected
- · High-speed radio network ensures the luminaires ahead are illuminated
- Compliance with state environmental laws with environmentally friendly 3,000 K light color
- · Additional savings potential thanks to increased dimming and partial switching off



How do you implement lighting control? With us, it's effortless and uncomplicated!

We support you from the initial idea all the way to commissioning your light management system and take care of funding subsidies and financing options. And once your system is up and running, we make sure everything is operating smoothly and your power consumption is as low as possible.



Contact.

Siteco GmbH

Georg-Simon-Ohm-Str. 50 83301 Traunreut, Germany Tel. +49 8669 330 info@siteco.com

siteco.com