

### Order No.: 5LS74911EWB | GTIN (EAN): 4058352036112 Product description: Mon21G1,encl,PC,opal,LED,1pc



Monsun<sup>®</sup> 21 Gen.1, cover, primary optical cover: enclosure, of PC, opal, installation type: surface-mounted, LED, length: 1.571mm, width: 84mm, impact resistance: IK08, packaging unit: 1 piece

IK 08

Lamps: LED Wt. (kg): 0.6 GTIN (EAN): 4058352036112



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 01.03.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -

# ѕітесо

# Order No.: 5LS74911EWB | GTIN (EAN): 4058352036112 Detailed technical description: Mon21G1,encl,PC,opal,LED,1pc



#### Key data

- Product type: cover
- Product name: Monsun® 21 Gen.1
- Order No.: 5LS74911EWB

# Lighting technology | Lamps | Control gear

#### **Component 1**

#### Lighting technology:

- Cover: enclosure, opal

#### Lamps:

- Lamps: for LED

#### **Certificates, Standards**

- Impact resistance: IK08

#### Material, Colour

- Cover: enclosure of PC

#### Mounting

 Mounting method, mounting location: surface-mounted, to the luminaire


#### **Dimensions, Weight**

- Length: 1571mm
- Width: 84mm
- Weight: 0.6kg

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 01.03.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -



## Order No.: 5LS74911EWB | GTIN (EAN): 4058352036112 Dimensions: Mon21G1,encl,PC,opal,LED,1pc



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 01.03.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -