

Order No.: 5EA1SLCOM01 | GTIN (EAN): 4058352572146


Product description: SConGr,com.mod



SITECO Connect Group, communication module, installation type: DIN rail mounting, mains connection: 12/24V, DC, housing, of plastic, grey, 4 part units, length: 58mm, width: 72mm, height: 90mm, communication module, installation in distribution boxnetworkable version, equipment: slot for SIM card, slot for microSD card, protection rating (complete): IP20, certification: CE, permissible operating ambient temperature for outdoor applications: -20..+70°C, permissible storage temperature: -20..+85°C, packaging unit: 1 piece

IP 20 CE

Wt. (kg): 0.2
GTIN (EAN): 4058352572146



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 21.10.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5EA1SLCOM01 | GTIN (EAN): 4058352572146

Detailed technical description: [SConGr,com.mod](#)



Key data

- System family: SITECO Connect Group
- Product type: communication module
- Product name: SITECO Connect Group
- Order No.: 5EA1SLCOM01

Certificates, Standards

- Protection rating: IP20
- Temperature range (operation): -20..+70°C
- Certification, designation: CE

Material, Colour

- housing: plastic, grey, 4 part units
- Colour specification: grey

Mounting

- Mounting method, mounting location: DIN rail mounting, in a switching cabinet

Electrical connection

- Nominal voltage: 12/24V, DC

Dimensions, Weight

- Length: 58mm
- Width: 72mm
- Height: 90mm
- Weight: 0.2kg


Inputs

1x antenna connection for cellular network (SMA Female)

- Protocol: GPRS/GSM, UMTS, LTE (2G/4G)

Order No.: 5EA1SLCOM01 | GTIN (EAN): 4058352572146

Dimensions: SConGr,com.mod



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 21.10.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -