

Order No.: 5TR30600 | GTIN (EAN): 4039806582287 Product description: Modrail-ins




Modario[®], rail insert, socket outlet, with plug, 3-pole, with phase selection, mains connection: 240V, AC, 50Hz, socket outlet insert, of sheet steel, coil coated, pure white, 1x system unit, length: 299mm, width: 48mm, protection rating (complete): for IP20 protection rating, insulation class (complete): insulation class I (protective earthing), certification: CE, packaging unit: 1 piece

⊕ (€

Wt. (kg): 0.3 GTIN (EAN): 403

4039806582287



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 30.05.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -

Siteco GmbH • Georg-Simon-Ohm-Str. 50 • 83301 Traunreut, Germany • Tel +49(8669)33-0 • Fax +49(8669)33-397 • eMail info@siteco.de • Internet www.siteco.com

ѕітесо

Order No.: 5TR30600 | GTIN (EAN): 4039806582287 Detailed technical description: Modrail-ins



Key data

- Product type: rail insert
- Product name: Modario[®]
- Order No.: 5TR30600

Lighting technology | Lamps | Control gear

Component 1

Lamps:

 Supplement: with Wieland plug system GST 18l3, incl. connection cable with safety coupling (D, A, Scand.), 3x 1.5mm², cable length 0.3m, black, max. 2A

Certificates, Standards

- Protection rating: for IP20 protection rating
- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE

Material, Colour

- socket outlet insert: sheet steel, coil coated, pure white, 1x system unit
- Colour specification: pure white

Electrical connection


- Connection: plug, 3-pole, with phase selection
- Nominal voltage: 240V, 50Hz, AC

Dimensions, Weight

- System units: 1x SE
- Length: 299mm
- Width: 48mm
- Weight: 0.3kg

ѕітесо

Order No.: 5TR30600 | GTIN (EAN): 4039806582287 Dimensions: Modrail-ins



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.com) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 30.05.2025 - Modifications and errors subject to change - Ensure that you always use the latest version -